



INTEGRATED SYSTEMS FOR THE ROOFING FIELD

Mazzonetto s.p.a. is one of the biggest companies that can offer the whole line of roofing products in every metal.

UNIQUE DETAILS

The high-precision **welding** is our trade mark: high resistance for a long term duration and aesthetics for a better appreciation of beauty.

The elbow has **only one** lateral **weld joint** in order to offer an aesthetic and functional product.

Both elbows and double elbows have **socket** and **tapered end**, so that the connection of the elements can be faster and easier.

	COPPER	08	COPPER
	NATURAL TITANIUM ZINC	12	NATURAL TITANIUM ZINC
	PREWEATHERED TITANIUM ZINC	16	PREWEATHERED TITANIUM ZINC
	NATURAL ALUMINIUM	20	NATURAL ALUMINIUM
	PREPAINTED ALUMINIUM	24	PREPAINTED ALUMINIUM
	STAINLESS STEEL	28	STAINLESS STEEL
	GALVANISED STEEL	30	GALVANISED STEEL
	GALVANISED PREPAINTED STEEL	34	GALVANISED PREPAINTED STEEL
	LEAD - ALUZINC	38	LEAD ALUZINC



COPPER

COPPER STRIP

COILS	
Available also in little coils, inner Ø 300 mm - Stucco surface available	
Width	from 30 to 1250 mm
Thickness	0,50 / 0,55 / 0,60 / 0,70 / 0,80 / 1,00 mm
Coil weight	from 500 to 5000 kg
SHEETS	
Dimensions	1000 x 2000 mm / 1000 x 3000 mm
Thickness	0,60 / 0,70 mm
COPPER BARS	
Width	from 20 to 30 mm
Thickness	from 1,50 to 5 mm

COPPER GUTTERS

	WIDTH mm	0,50 mm	0,55 mm	0,60 mm	0,70 mm	0,80 mm
	Width 250 mm Bead 18 mm	2-3-4 5-6 m	2-3-4 5-6 m	2-3-4 5-6 m	2-3-4 5-6 m	2-3-4 5-6 m
	Width 280 mm Bead 18 mm	2-3-4 5-6 m	2-3-4 5-6 m	2-3-4 5-6 m	2-3-4 5-6 m	2-3-4 5-6 m
	Width 333 mm Bead 20 mm	2-3-4 5-6 m	2-3-4 5-6 m	2-3-4 5-6 m	2-3-4 5-6 m	2-3-4 5-6 m
	Width 400 mm Bead 22 mm	2-3-4 5-6 m	2-3-4 5-6 m	2-3-4 5-6 m	2-3-4 5-6 m	2-3-4 5-6 m

CONID: COPPER RAINWATERPIPES

	Ø mm	0,50 mm	0,55 mm	0,60 mm	0,70 mm	0,80 mm
	Ø 60	2 m		2-3 m		
	Ø 75		2-3-4 m			
	Ø 76			2 m	2 m	
	Ø 80	1-2-3-4-6 m	3-4 m	2-3-4 m	2 m	2 m
	Ø 87			2 m	2 m	
	Ø 100	2-3-4-6 m	2-3-4-5-6 m	2-3-4-6 m	2 m	2 m
	Ø 120		4 m	2-3-4 m		
	80 X 80	4 m		4 m	2 m	
	100 X 100			4 m	2 m	
	60 X 90			4 m		

> FURTHER DIMENSIONS AVAILABLE ON DEMAND

> FURTHER DIMENSIONS AVAILABLE ON DEMAND

EU-ROUND: COPPER ELBOWS

	WELDED ELBOWS	0,50 mm	0,60 mm	0,70 mm
	Ø 60		72°-85°	
	Ø 75		72°-85°	
	Ø 76		72°	
	Ø 80	40°-72°-85°	40°-72°-85°	
	Ø 87		72°	
	Ø 100	40°-72°-85°	40°-72°-85°	
	Ø 120			72°
	FOLDED ELBOWS	0,50 mm	0,60 mm	0,70 mm
	80 X 80		72°	
	100 x 100		72°	

COPPER WELDED DOUBLE ELBOWS

	Ø mm	
	Ø 80	
	Ø 100	

GO.AL: COPPER EXTENSIBLE ELBOWS

	ITEM DESCRIPTION	Ø mm	DIMENSIONS
	GO.AL 1	Ø 80 - 100 mm	from 300 to 400 mm
	GO.AL 2	Ø 80 - 100 mm	from 400 to 500 mm
	GO.AL 3	Ø 80 - 100 mm	from 500 to 800 mm
	GO.AL 4	Ø 80 - 100 mm	from 800 to 1000 mm

> FURTHER DIMENSIONS AVAILABLE ON DEMAND

COPPER ROOFING ACCESSORIES

	Perforated strip	Height 165 / 200 / 250 / 330 / 1000 mm
	Endcaps	Width 250/280/333/400 mm
	Supports	Width 250/280/333/400 mm
	Gutter outlets	Width 250/80 mm - Width 280/80 mm Width 280/100 mm - Width 330/80 mm Width 330/100 mm - Width 400/100 mm
	Outlets for soldering, halfround	Ø 80 - Ø 100 mm
	Corners	Width 250 mm - Bead 18 mm - inner/outer Width 280 mm - Bead 20 mm - inner/outer Width 333 mm - Bead 20 mm - inner/outer Width 400 mm - Bead 22 mm - inner/outer
	Collars	Ø 80 - Ø 100 mm

> FURTHER DIMENSIONS AVAILABLE ON DEMAND



NATURAL TITANIUM ZINC

NATURAL TITANIUM ZINC STRIP

COILS	
<i>Available also in little coils, inner Ø 300 mm - Stucco surface available</i>	
Width	from 30 to 1250 mm
Thickness	0,65 / 0,70 / 0,80 mm
Coil weight	from 500 to 5000 kg
SHEETS	
Dimensions	1000 x 2000 mm / 1000 x 3000 mm
Thickness	0,65 / 0,70 mm

NATURAL TITANIUM ZINC GUTTERS

	WIDTH mm	0,65 mm	0,70 mm
	Width 250 mm Bead 18 mm	2-3-4-5-6 m	2-3-4-5-6 m
	Width 280 mm Bead 18 mm	2-3-4-5-6 m	2-3-4-5-6 m
	Width 333 mm Bead 20 mm	2-3-4-5-6 m	2-3-4-5-6 m
	Width 400 mm Bead 22 mm	2-3-4-5-6 m	2-3-4-5-6 m

CONID: NATURAL TITANIUM ZINC RAINWATERPIPES

	Ø mm	0,60 mm	0,65 mm	0,70 mm	0,80 mm
	Ø 60		2-3 m	2 m	
	Ø 75		3 m		
	Ø 76		2 m	2 m	
	Ø 80	2 m	1-2-3-4 m	2 m	2 m
	Ø 87		2-3 m	2 m	
	Ø 100	2-3 m	1-2-3-4 m	2-3 m	2 m
	Ø 120		2 m	2-3-4 m	
	80 X 80		2-3 m	2-3 m	
	100 X 100		3 m	2-3 m	

> FURTHER DIMENSIONS AVAILABLE ON DEMAND

> FURTHER DIMENSIONS AVAILABLE ON DEMAND

EU-ROUND: NATURAL TITANIUM ZINC ELBOWS

	WELDED ELBOWS	
	Ø 60	40°-60°-72°-85°
	Ø 75	72°
	Ø 76	60°-72°
	Ø 80	40°-60°-72°-85°
	Ø 87	60°-72°
	Ø 100 SMALL VERSION	72°
	Ø 100	40°-60°-72°-85°
	Ø 120	72°
	FOLDED ELBOWS	
	80 X 80	72°
	100 x 100	72°

NATURAL TITANIUM ZINC WELDED DOUBLE ELBOWS

	Ø mm	
	Ø 80	
	Ø 100	

GO.AL: NATURAL TITANIUM ZINC EXTENSIBLE ELBOWS

	ITEM DESCRIPTION	Ø mm	DIMENSIONS
	GO.AL 1	Ø 80 - 100 mm	from 300 to 400 mm
	GO.AL 2	Ø 80 - 100 mm	from 400 to 500 mm
	GO.AL 3	Ø 80 - 100 mm	from 500 to 800 mm

> FURTHER DIMENSIONS AVAILABLE ON DEMAND

NATURAL TITANIUM ZINC ROOFING ACCESSORIES

	Perforated strip	Height 165 / 200 / 250 / 330 mm
	Endcaps	Width 250/280/333/400 mm
	Supports	Width 250/280/333/400 mm
	Gutter outlets	Width 250/80 mm - Width 280/80 mm Width 280/100 mm - Width 330/80 mm Width 330/100 mm - Width 400/100 mm
	Outlets for soldering, halfround	Ø 80 - Ø 100 mm
	Corners	Width 250 mm - Bead 18 mm - inner/outer Width 280 mm - Bead 20 mm - inner/outer Width 333 mm - Bead 20 mm - inner/outer Width 400 mm - Bead 22 mm - inner/outer
	Collars	Ø 80 - Ø 100 mm


> FURTHER DIMENSIONS AVAILABLE ON DEMAND




PREWEATHERED TITANIUM ZINC

SURFACE FINISHING

VMZINC PRODUCTION



QUARTZ



ANTHRA

NEDZINK PRODUCTION



NEW NOVA



NOIR

PREWEATHERED TITANIUM ZINC GUTTERS

	WIDTH mm	0,70 mm
	Width 250 mm Bead 18 mm	2-3-4-5-6 m
	Width 280 mm Bead 18 mm	2-3-4-5-6 m
	Width 333 mm Bead 20 mm	2-3-4-5-6 m
	Width 400 mm Bead 22 mm	2-3-4-5-6 m
	Available Surfaces	VMZINC ANTHRA/QUARTZ - NEDZINK NEW NOVA/NOIR

CONID: PREWEATHERED TITANIUM ZINC RAINWATERPIPES

	Ø mm	0,65 mm	0,70 mm
	Ø 60	2 m	2 m
	Ø 80	2-3 m	2-3 m
	Ø 100	2-3 m	2-3 m
	Ø 120		2-3 m
	80 X 80	2-3 m	2-3 m
	100 X 100	2-3 m	2-3 m
	Available Surfaces	VMZINC ANTHRA/QUARTZ	VMZINC ANTHRA/QUARTZ NEDZINK NEW NOVA/NOIR

> FURTHER DIMENSIONS AVAILABLE ON DEMAND

EU-ROUND: PREWEATHERED TITANIUM ZINC ELBOWS

	WELDED ELBOWS	
	Ø 60	72°
	Ø 80	72°-85°
	Ø 100	72°-85°
	FOLDED ELBOWS	
	Ø 120	72°
	80 X 80	72°
	100 x 100	72°
Available Surfaces		VMZINC ANTHRA/QUARTZ - NEDZINK NEW NOVA/NOIR

PREWEATHERED TITANIUM ZINC WELDED DOUBLE ELBOWS

	Ø mm	
	Ø 80	
	Ø 100	
	Available Surfaces	
		VMZINC ANTHRA/QUARTZ - NEDZINK NEW NOVA/NOIR

> FURTHER DIMENSIONS AVAILABLE ON DEMAND

PREWEATHERED TITANIUM ZINC ROOFING ACCESSORIES

	Perforated strip	Height 165 / 200 / 250 / 330 mm
	Endcaps	Width 280 / 333 mm
	Supports	Width 280 / 333 mm
	Gutter outlets	Width 280/80 mm - Width 280/100 mm Width 333/80 mm - Width 333/100 mm
	Outlets for soldering, halfround	Ø 80 - Ø 100 mm
	Corners	Width 280 mm - Bead 18 mm - inner/outer Width 333 mm - Bead 20 mm - inner/outer
	Collars	Ø 80 - Ø 100 mm

> FURTHER DIMENSIONS AVAILABLE ON DEMAND



NATURAL ALUMINIUM

NATURAL ALUMINIUM STRIP

COILS	
<i>Available also in little coils, inner Ø 300 mm - Stucco surface available</i>	
Width	from 30 to 1250 mm
Thickness	0,70 / 0,80 / 1,00 / 1,20 / 1,50 mm
Coil weight	from 250 to 3000 kg



> FURTHER DIMENSIONS AVAILABLE ON DEMAND

NATURAL ALUMINIUM GUTTERS

	WIDTH mm	0,70 mm	0,80 mm	1,00 mm
	Width 250 mm Bead 18 mm	2-3-4-5-6 m	2-3-4-5-6 m	2-3-4-5-6 m
	Width 280 mm Bead 18 mm	2-3-4-5-6 m	2-3-4-5-6 m	2-3-4-5-6 m
	Width 333 mm Bead 20 mm	2-3-4-5-6 m	2-3-4-5-6 m	2-3-4-5-6 m
	Width 400 mm Bead 22 mm	2-3-4-5-6 m	2-3-4-5-6 m	2-3-4-5-6 m

CONID: NATURAL ALUMINIUM RAINWATERPIPES

	Ø mm	0,70 mm
	Ø 60	2 m
	Ø 76	2 m
	Ø 80	2-4 m
	Ø 87	2 m
	Ø 100	2-4 m
	Ø 120	2-4 m
	80 X 80	2 m
	100 X 100	2 m

> FURTHER DIMENSIONS AVAILABLE ON DEMAND

NATURAL
ALUMINIUM

EU-ROUND: NATURAL ALUMINIUM WELDED ELBOWS

	Ø mm	
	Ø 60	72°
	Ø 80	72°
	Ø 100	72°
	Ø 120	72°

NATURAL ALUMINIUM WELDED DOUBLE ELBOWS

	Ø mm	
	Ø 80	
	Ø 100	

> FURTHER DIMENSIONS AVAILABLE ON DEMAND

NATURAL ALUMINIUM ROOFING ACCESSORIES

	Perforated strip	Height 1000 mm
	Endcaps	Width 250/280/333/400 mm
	Supports	Width 250/280/333/400 mm
	Gutter outlets	Width 250/80 mm - Width 280/80 mm Width 280/100 mm - Width 330/80 mm Width 330/100 mm - Width 400/100 mm
	Outlets for soldering, halfround	Ø 80 - Ø 100 mm
	Corners	Width 250 mm - Bead 18 mm - inner/outer Width 280 mm - Bead 20 mm - inner/outer Width 333 mm - Bead 20 mm - inner/outer Width 400 mm - Bead 22 mm - inner/outer
	Collars	Ø 80 - Ø 100 mm

> FURTHER DIMENSIONS AVAILABLE ON DEMAND



PREPAINTED ALUMINIUM

PREPAINTED ALUMINIUM STRIP



Alloy	3105
Physical state	H44
Coating	20/20 µm
COILS	
<i>Available also in little coils, inner Ø 300 mm - Stucco surface available</i>	
Width	from 30 to 1250 mm
Thickness	0,70 / 0,80 / 1,00 mm
Coil weight	from 100 to 3000 kg

AVAILABLE COLOURS



> FURTHER DIMENSIONS AVAILABLE ON DEMAND

PREPAINTED ALUMINIUM GUTTERS

	WIDTH mm	0,80 mm	1,00 mm
	Width 250 mm Bead 18 mm	2-3-4-5-6 m	2-3-4-5-6 m
	Width 280 mm Bead 18 mm	2-3-4-5-6 m	2-3-4-5-6 m
	Width 333 mm Bead 20 mm	2-3-4-5-6 m	2-3-4-5-6 m
	Width 400 mm Bead 22 mm	2-3-4-5-6 m	2-3-4-5-6 m
Available Colours		TESTA DI MORO / GREY-WHITE / SIENA RED AUSTRIA BROWN / RAL 5010 / RAL 6005 / RAL 6021 RAL 7016 / RAL 8004 / RAL 9006 / RAL 9010	

CONID: PREPAINTED ALUMINIUM RAINWATERPIPES

	Ø mm	
	Ø 60	2 m
	Ø 80	3-4 m
	Ø 100	3-4 m
	Ø 120	4 m
Available Colours		TESTA DI MORO / GREY-WHITE / SIENA RED RAL 5010 / RAL 6005 / RAL 7016 / RAL 9006 / RAL 9010

> FURTHER DIMENSIONS AVAILABLE ON DEMAND

EU-ROUND: PREPAINTED ALUMINIUM WELDED ELBOWS

	Ø mm	
	Ø 60	72°
	Ø 80	72°
	Ø 100	72°
	Ø 120	72°
Available Colours		TESTA DI MORO / GREY-WHITE / RAL 7016 RAL 7037 / RAL 9006

PREPAINTED ALUMINIUM WELDED DOUBLE ELBOWS

	Ø mm	
	Ø 80	
	Ø 100	
Available Colours		TESTA DI MORO

> FURTHER DIMENSIONS AVAILABLE ON DEMAND

PREPAINTED ALUMINIUM ROOFING ACCESSORIES

	Perforated strip	Height 165 / 200 / 250 / 330 / 1000
	Endcaps	Width 280 / 333 mm
	Supports	Width 280 / 333 mm
	Gutter outlets	Width 280/80 mm - Width 280/100 mm Width 333/80 mm - Width 333/100 mm
	Outlets for soldering, halfround	Ø 80 - Ø 100 mm
	Corners	Width 280 mm - Bead 18 mm - inner/outer Width 333 mm - Bead 20 mm - inner/outer
	Collars	Ø 80 - Ø 100 mm
	Available Colours	TESTA DI MORO / RAL 7016 RAL 7037 / RAL 9006

> FURTHER DIMENSIONS AVAILABLE ON DEMAND

STAINLESS STEEL

STAINLESS STEEL STRIP

COILS	
<i>Available also in little coils, inner Ø 300 mm - Stucco surface available</i>	
STAINLESS STEEL 304 2B	
Width	from 30 to 1250 mm
Thickness	0,50 / 0,60 / 0,70 / 0,80 mm
Coil weight	from 500 to 7000 kg
STAINLESS STEEL 304 2D	
Width	from 30 to 1250 mm
Thickness	0,50 mm
Coil weight	from 500 to 7000 kg
STAINLESS STEEL 304 UGITOP	
Width	from 30 to 1250 mm
Thickness	0,50 mm
Coil weight	from 500 to 7000 kg
UGINOX FTE	
Width	670 / 1000 mm
Thickness	0,50 mm
Coil weight	from 500 to 7000 kg



> FURTHER DIMENSIONS AVAILABLE ON DEMAND

STAINLESS STEEL GUTTERS

	WIDTH mm	STAINLESS STEEL 304 2B - 0,50 mm	STAINLESS STEEL 304 2D - 0,50 mm	UGITOP 0,50 mm	UGINOX FTE 0,50 mm
	Width 250 mm Bead 18 mm	2-3-4-5-6 m	2-3-4-5-6 m	2-3-4-5-6 m	2-3-4-5-6 m
	Width 280 mm Bead 18 mm	2-3-4-5-6 m	2-3-4-5-6 m	2-3-4-5-6 m	2-3-4-5-6 m
	Width 333 mm Bead 20 mm	2-3-4-5-6 m	2-3-4-5-6 m	2-3-4-5-6 m	2-3-4-5-6 m
	Width 400 mm Bead 22 mm	2-3-4-5-6 m	2-3-4-5-6 m	2-3-4-5-6 m	2-3-4-5-6 m

CONID: STAINLESS STEEL RAINWATERPIPES

	Ø mm	STAINLESS STEEL 304 2B - 0,50 mm	STAINLESS STEEL 304 2D - 0,50 mm	UGITOP 0,50 mm	UGINOX FTE 0,50 mm
	Ø 60	2 m	2 m	2 m	2 m
	Ø 75	2-3-4 m	2-3-4 m	3 m	
	Ø 80	4 m	4 m	2 m	2 m
	Ø 100	2-3-4 m	2-3-4 m	3-4 m	4 m
	Ø 120	3-4 m	3-4 m	3 m	4 m

EU-ROUND: STAINLESS STEEL WELDED ELBOWS

	Ø mm	STAINLESS STEEL 304 2B	UGITOP
	Ø 60	72°-85°	72°
	Ø 75	72°-85°	72°-85°
	Ø 80	72°	
	Ø 100	40°-72°-85°	72°-85°
	Ø 120	72°-85°	72°

> FURTHER DIMENSIONS AVAILABLE ON DEMAND



GALVANISED STEEL

GALVANISED STEEL STRIP

COILS	
<i>Available also in little coils, inner Ø 300 mm - Stucco surface available</i>	
	
Width	from 30 to 1250 mm
Base metal DX51 - Z140	0,60 / 0,80 / 1,00 / 1,20 / 1,50 mm
Base metal DX51 - Z275	0,55 mm
Coil weight	from 250 to 3000 kg

> FURTHER DIMENSIONS AVAILABLE ON DEMAND

GALVANISED STEEL GUTTERS

	WIDTH mm	0,55 mm	0,55 mm - Z275
	Width 250 mm Bead 18 mm	2-3-4-5-6 m	2-3-4-5-6 m
	Width 280 mm Bead 18 mm	2-3-4-5-6 m	2-3-4-5-6 m
	Width 333 mm Bead 20 mm	2-3-4-5-6 m	2-3-4-5-6 m
	Width 400 mm Bead 22 mm	2-3-4-5-6 m	2-3-4-5-6 m

CONID: GALVANISED STEEL RAINWATERPIPES

	Ø mm	0,55 mm - Z275
	Ø 60	2 m
	Ø 80	2-3-4 m
	Ø 100	2-3-4 m
	Ø 120	4 m

> FURTHER DIMENSIONS AVAILABLE ON DEMAND

EU-ROUND: GALVANISED STEEL WELDED ELBOWS

	Ø mm	HOT DEEP GALVANISED
	Ø 60	72°
	Ø 80	72°-85°
	Ø 100	40°-72°-85°
	Ø 120	72°

GALVANISED STEEL WELDED DOUBLE ELBOWS HOT DEEP GALVANISED

	Ø mm	
	Ø 80	
	Ø 100	

> FURTHER DIMENSIONS AVAILABLE ON DEMAND

GALVANISED STEEL ROOFING ACCESSORIES

	Perforated strip	AVAILABLE ON DEMAND
	Endcaps	Width 250/280/333/400 mm
	Supports	Width 250/280/333/400 mm
	Gutter outlets	Width 250/80 mm - Width 280/80 mm Width 280/100 mm - Width 330/80 mm Width 330/100 mm - Width 400/100 mm
	Outlets for soldering, halfround	Ø 80 - Ø 100 mm
	Corners	Width 250 mm - Bead 18 mm - inner/outer Width 280 mm - Bead 20 mm - inner/outer Width 333 mm - Bead 20 mm - inner/outer Width 400 mm - Bead 22 mm - inner/outer
	Collars	Ø 80 - Ø 100 mm

> FURTHER DIMENSIONS AVAILABLE ON DEMAND

GALVANISED
STEEL



GALVANISED PREPAINTED STEEL

GALVANISED PREPAINTED STEEL STRIP

	DX51 - Z100 20/17	DX51 - Z100 35/17
Material	DX51D	DX51D
Zinc coating	Z100	Z100
Coating	20/17 µm	35/17 µm
Available Colours	TESTA DI MORO GREY-WHITE SIENA RED C21 / C30 RAL 3000 RAL 5010 RAL 6005 RAL 6029 RAL 7016 RAL 9006 RAL 9010 BIANCO PIRENEO NERO E3	TESTA DI MORO GREY-WHITE High scratch resistant material
COILS		
<i>Available also in little coils, inner Ø 300 mm - Stucco surface available</i>		
Width	from 30 to 1250 mm	from 30 to 1250 mm
Thickness	0,50 / 0,55 / 0,60 / 0,70 / 0,80 / 1,00 / 1,20 / 1,50 mm	0,55 / 0,75 mm
Coil weight	from 250 to 3000 kg	from 250 to 3000 kg



> FURTHER DIMENSIONS AVAILABLE ON DEMAND

GALVANISED PREPAINTED STEEL GUTTERS

	WIDTH mm	DX51 - Z100 - 20/17 µm
	Width 250 mm Bead 18 mm	2-3-4-5-6 m
	Width 280 mm Bead 18 mm	2-3-4-5-6 m
	Width 333 mm Bead 20 mm	2-3-4-5-6 m
	Width 400 mm Bead 22 mm	2-3-4-5-6 m
	Available Colours	TESTA DI MORO / GREY-WHITE / SIENA RED RAL 7016 / RAL 7037 / RAL 9006 / RAL 9010 BIANCO PIRENEO / NERO E3

CONID: GALVANISED PREPAINTED STEEL RAINWATERPIPES

	Ø mm	DX51 - Z100 - 20/17 µm
	Ø 60	2 m
	Ø 80	2-3-4 m
	Ø 100	2-3-4-6 m
	Ø 120	3-4 m
	80 X 80	2-3-4 m
	100 X 100	3-4 m
	Available Colours	TESTA DI MORO / GREY-WHITE / SIENA RED RAL 7016 / RAL 7037 / RAL 9006 / RAL 9010 BIANCO PIRENEO / NERO E3

> FURTHER DIMENSIONS AVAILABLE ON DEMAND

EU-ROUND: GALVANISED PREPAINTED STEEL WELDED ELBOWS

	Ø mm	
	Ø 60	72°-85°
	Ø 80	72°-85°
	Ø 100	40°-72°-85°
	Ø 120	72°
	Available Colours	TESTA DI MORO / GREY-WHITE / RAL 7016 / RAL 7037 RAL 9002 / RAL 9006

GALVANISED PREPAINTED STEEL WELDED DOUBLE ELBOWS

	Ø mm	
	Ø 80	
	Ø 100	
	Available Colours	TESTA DI MORO / GREY-WHITE / RAL 7016 / RAL 7037 RAL 9002 / RAL 9006

> FURTHER DIMENSIONS AVAILABLE ON DEMAND

GALVANISED PREPAINTED STEEL ROOFING ACCESSORIES

	Perforated strip	Height 165 / 200 / 250 / 330 / 1000 mm
	Endcaps	Width 280 / 333 mm
	Supports	Width 280 / 333 mm
	Gutter outlets	Width 280/80 mm - Width 280/100 mm Width 333/80 mm - Width 330/100 mm
	Outlets for soldering, halfround	Ø 80 - Ø 100 mm
	Corners	Width 280 mm - Bead 18 mm - inner/outer Width 333 mm - Bead 20 mm - inner/outer
	Collars	Ø 80 - Ø 100 mm
	Available Colours	TESTA DI MORO / RAL 7016 / RAL 7037 RAL 9002 / RAL 9006

> FURTHER DIMENSIONS AVAILABLE ON DEMAND



LEAD - ALUZINC

LEAD - ALUZINC STRIP



LEAD COILS

Width	1000 mm
Thickness	1,00 / 1,20 / 1,50 / 2,00 mm
Coil dimensions	5 m

ALUZINC COILS

Coating	AZ 185
Base metal	DX51
Width	1000 / 1250 mm
Thickness	0,60 mm
Coil dimensions	from 250 to 3000 kg

> FURTHER DIMENSIONS AVAILABLE ON DEMAND

LEAD
ALUZINC

TUBES - METERS PER PALLET - WOOD PALLET

Ø mm	TUBES LENGHT - m			
	1 m	2 m	3 m	4 m
Ø 60	370 m	740 m	1110 m	1480 m
Ø 75	232 m	464 m	696 m	928 m
Ø 76	232 m	464 m	696 m	928 m
Ø 80	203 m	406 m	609 m	812 m
Ø 87	175 m	350 m	525 m	700 m
Ø 100	132 m	264 m	396 m	528 m
Ø 120	90 m	180 m	270 m	360 m
80 X 80	182 m	364 m	546 m	728 m
100 X 100	110 m	220 m	330 m	440 m
PALLET DIMENSIONS				
HEIGHT	1,25 m			
WIDTH	1,20 m			
LENGHT	ACCORDING TO TUBES LENGHT			

TUBES - METERS PER PALLET - IRON PALLET

Ø mm	TUBES LENGHT - m			
	1 m	2 m	3 m	4 m
Ø 60 - FOLDED TUBES	480 m	720 m	960 m	
Ø 60 - WELDED TUBES	528 m	792 m	1056 m	/
Ø 75	378 m	567 m	756 m	945 m
Ø 76	324 m	486 m	648 m	/
Ø 80	300 m	450 m	600 m	/
Ø 87	276 m	414 m	552 m	/
Ø 100	200 m	300 m	400 m	500 m
Ø 120	128 m	192 m	256 m	/
80 X 80	240 m	360 m	480 m	/
100 X 100	160 m	240 m	320 m	/
PALLET DIMENSIONS				
HEIGHT	1,16 m			
WIDTH	1,20 m			
LENGHT	ACCORDING TO TUBES LENGHT			

EU-ROUND - PIECES PER PALLET

Ø mm	PC./BOX	PC. /PALLET	PALLET DIMENSIONS
Ø 60 - 40°	25	1000	80 X 120 X 240
Ø 60 - 60°	25	1000	80 X 120 X 240
Ø 60 - 72°	25	1000	80 X 120 X 240
Ø 60 - 85°	25	1000	80 X 120 X 240
Ø 75 - 40°	25	1000	80 X 120 X 240
Ø 75 - 72°	25	800	80 X 120 X 240
Ø 75 - 85°	25	600	80 X 120 X 240
Ø 76 - 40°	25	1000	80 X 120 X 240
Ø 76 - 60°	25	1000	80 X 120 X 240
Ø 76 - 72°	25	800	80 X 120 X 240
Ø 80 - 40°	25	1000	80 X 120 X 240
Ø 80 - 60°	25	800	80 X 120 X 240
Ø 80 - 72°	25	800	80 X 120 X 240
Ø 80 - 85°	25	800	80 X 120 X 240
Ø 87 - 40°	25	800	80 X 120 X 240
Ø 87 - 60°	25	600	80 X 120 X 240
Ø 87 - 72°	25	600	80 X 120 X 240
Ø 87 - 85°	25	400	80 X 120 X 240
Ø 100 - 40°	25	600	80 X 120 X 240
Ø 100 - 60°	25	600	80 X 120 X 240
COPPER THICKNESS 0,50 mm STAINLESS STEEL Ø 100 - 72°	25	400	80 X 120 X 240
Ø 100 - 72°	25	500	80 X 120 X 240
Ø 100 - 72° SMALL VERSION	25	600	80 X 120 X 240
COPPER THICKNESS 0,50 mm STAINLESS STEEL Ø 100 - 85°	25	400	80 X 120 X 240
Ø 100 - 85°	25	400	80 X 120 X 240
Ø 120 - 40°	15	360	80 X 120 X 240
Ø 120-60°	15	240	80 X 120 X 240
Ø 120 - 72°	15	240	80 X 120 X 240
Ø 120 - 85°	15	240	80 X 120 X 240

DOUBLE ELBOWS - PIECES PER PALLET

Ø mm	PC./BOX	PC. /PALLET	PALLET DIMENSIONS
Ø 80	10	400	120X80X220
Ø 100	10	320	120X80X220

GO.AL - PIECES PER PALLET

Ø mm	PC./BOX	BOX DIMENSIONS	PC. / PALLET	PALLET DIMENSIONS
Ø 80 - GO.AL 1	6	58X38X20	144	120X80X240
Ø 80 - GO.AL 2	6	58X38X33	144	120X80X240
Ø 80 - GO.AL 3	5	81X42X20	180	120X80X240
Ø 80 - GO.AL 4	5	101X42X20	180	120X100X240
Ø 100 - GO.AL 1	5	80X50X20	120	120X100X240
Ø 100 - GO.AL 2	5	80X50X20	120	120X100X240
Ø 100 - GO.AL 3	5	101X50X22	100	120X100X240

SUMMARY TABLE OF PRODUCTS

	COILS	SHEETS	PLATES	GUTTERS	RAINWATER PIPES	ELBOWS	DOUBLE ELBOWS	GO.AL EXTENSIBLE ELBOWS	PERFORATED STRIPS	END CAPS	SUPPORTS	GUTTER OUTLETS	COLLARS	OUTLETS FOR SOLDERING, HALFROUND	CORNERS	
COPPER	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	page 08
NATURAL TITANIUM ZINC	•	•		•	•	•	•	•	•	•	•	•	•	•	•	page 12
PREWEATHERED TITANIUM ZINC				•	•	•	•		•	•	•	•	•	•	•	page 16
NATURAL ALUMINIUM	•			•	•	•	•		•	•	•	•	•	•	•	page 20
PREPAINTED ALUMINIUM	•			•	•	•	•		•	•	•	•	•	•	•	page 24
STAINLESS STEEL	•			•	•	•										page 28
GALVANISED STEEL	•			•	•	•	•		•	•	•	•	•	•	•	page 30
GALVANISED PREPAINTED STEEL	•			•	•	•	•		•	•	•	•	•	•	•	page 34
LEAD ALUZINC	•															page 38



www.mazzonettometals.com

MAZZONETTO Spa

35010 Loreggia (PD) - Z.I. Via A. Cecon, 10

Tel. +39 049.93.226.11 - Fax +39 049.93.226.50

www.mazzonettometalli.it - mazzonetto@mazzonettometalli.it



Mazzonetto S.p.A. reserves the right to make changes on its products anytime in order to better their quality without prior notice.