


ROOFINOX®

  CATALOGUE 2020



**HFX STAINLESS
FOR ROOF +
FACADE**

Like no other.



Roofinox service and information

PRICES

Price list valid from 01/03/2020.

All prices in Euros excluding currently applicable taxes (e.g. VAT).

All prices are subject to change without notice.

For binding prices inquire for current pricing.

DELIVERY CHARGES

Up to 3 kg 24.90 Euros / package

3 to 15 kg 28.50 Euros / package

15 to 30 kg 40.00 Euros / package

Freight-free for coils and sheets from 10 tons

Freight-free for gutters and pipes from 1200 m

Freight-free for roof drainage items from 2500 Euros

Surcharge for small quantities of 45 Euros for orders up to 149 Euros.

Freight, packaging and small quantity surcharges may apply to products, please note the corresponding product information in the price list.

CONTACT

Roofinox GmbH
Industriestrasse 11
6832 Sulz

Tel.: +43 (0)5522 - 79040 - 0

www.roofinox.com

office@roofinox.com

Find more information about our company and products on our website www.roofinox.com.

You can also download or order current brochures & data sheets from our website.

DISCLAIMER AND COPYRIGHT

Subject to technical changes and misprints. Color deviations due to printing.

Installation guidelines and national guidelines as well as standards and technical rules must be observed. Local conditions are to be considered during execution. Note the color differences between individual production lots.

All information in this document and on the Roofinox website is based on experience and laboratory tests. Guarantees on performance and surfaces cannot be derived from this document. Applicable guarantees can only be found in the corresponding agreements and our terms and conditions. Contents of this document do not represent any assurance, guarantee, specification or obligation of Roofinox or any of them branches or subsidiaries.

All rights reserved.

Reprinting, reproduction - even in part - is not permitted without the written approval of Roofinox GmbH.

CONTENT



Roof systems

Page 4

Roof systems



Façade systems

Page 18

Façade systems



Roof drainage

Page 30

Roof drainage



Coils and sheets

Page 40

Coils and sheets



Accessories

Page 48

Accessories



Terms and conditions

Page 50

Terms and conditions




Roofinox roof systems

PRODUCT	DESCRIPTION	DESIGN	ALLOY	ART. NO	UNIT	QTY/PU	PRICE GROUP	PRICE/UNIT
Generation Roof Original engineering and design package 	Original engineering package consisting of: clip spacing, clip layout, snow load calculation, schematic roof plan, standard details and warranty certificate incl. 60 year warranty on HFX stainless (see warranty conditions for details)			21000	Pcs			
Generation Roof Flex engineering and design package 	Flex engineering package consisting of: clip spacing, clip layout, snow load calculation, schematic roof plan, standard details and warranty certificate incl. 60 year warranty on HFX stainless (see warranty conditions for details) assuring flexibility for roof attachments (i.e. solar, etc.)			21001	Pcs			
Generation Roof XL engineering and design package 	XL engineering package consisting of: clip spacing, clip layout, snow load calculation, schematic roof plan, standard details and warranty certificate incl. 60 year warranty on HFX stainless (see warranty conditions for details) assuring flexibility for roof attachments (i.e. solar, etc.) and allowing for panel lengths of 10 to 30 m and more upon review			21002	Pcs			
Fixed clip RGD Roofinox HFX stainless 304  illustration only	Fixed clip: seam height 25 mm suitable for standing seam - double lock and angle lock (single lock)		304	21003	100 Pcs	500	6	5.56
	Fixed clip: seam height 32 mm suitable for standing seam - double lock and angle lock (single lock)		304	21004	100 Pcs	500	6	6.27
	Fixed clip: seam height 38 mm suitable for standing seam - double lock and angle lock (single lock)		304	21005	100 Pcs	500	6	6.99
Expansion clip RGD Roofinox HFX stainless 304  illustration only	Sliding clip: seam height 25 mm suitable for standing seam - double lock and angle lock (single lock)		304	21006	100 Pcs	500	6	13.18
	Sliding clip: seam height 32 mm suitable for standing seam - double lock and angle lock (single lock)		304	21007	100 Pcs	500	6	13.90
	Sliding clip: seam height 38 mm suitable for standing seam - double lock and angle lock (single lock)		304	21008	100 Pcs	500	6	16.52
Fixed clip RGD Midi stainless steel 304  illustration only	Fixed clip: seam height 25 mm only in combination with engineering package Generation Roof provides higher load bearing capacity and improved uplift resistance		304	21009	Pcs			
	Fixed clip: seam height 32 mm only in combination with engineering package Generation Roof provides higher load bearing capacity and improved uplift resistance		304	21010	Pcs			
	Fixed clip: seam height 38 mm only in combination with engineering package Generation Roof provides higher load bearing capacity and improved uplift resistance		304	21011	Pcs			

QTY/PU = Quantity / packaging unit

PRODUCT	DESCRIPTION	DESIGN	ALLOY	ART. NO	UNIT	QTY/PU	PRICE GROUP	PRICE/UNIT
Expansion clip RGD Midi stainless steel 304  illustration only	Sliding clip: seam height 25 mm only in combination with engineering package Generation Roof provides higher load bearing capacity and improved uplift resistance		304	21012	Pcs			
	Sliding clip: seam height 32 mm only in combination with engineering package Generation Roof provides higher load bearing capacity and improved uplift resistance		304	21013	Pcs			
	Sliding clip: seam height 38 mm only in combination with engineering package Generation Roof provides higher load bearing capacity and improved uplift resistance		304	21014	Pcs			
Fixed clip RGD Maxi stainless steel 304  illustration only	Fixed clip: seam height 25 mm only in combination with engineering package Generation Roof provides improved load bearing capacity, uplift resistance, enables longer panels		304	21015	Pcs			
	Fixed clip: seam height 32 mm only in combination with engineering package Generation Roof provides improved load bearing capacity, uplift resistance, enables longer panels		304	21016	Pcs			
	Fixed clip: seam height 38 mm only in combination with engineering package Generation Roof provides improved load bearing capacity, uplift resistance, enables longer panels		304	16264	Pcs			
Expansion clip RGD Maxi stainless steel 304  illustration only	Sliding clip: seam height 25 mm only in combination with engineering package Generation Roof provides improved load bearing capacity, uplift resistance, enables longer panels		304	21017	Pcs			
	Sliding clip: seam height 32 mm only in combination with engineering package Generation Roof provides improved load bearing capacity, uplift resistance, enables longer panels		304	21018	Pcs			
	Sliding clip: seam height 38 mm only in combination with engineering package Generation Roof provides improved load bearing capacity, uplift resistance, enables longer panels		304	21019	Pcs			
Long fixed clip RGD Maxi 30m stainless steel 304  illustration only	Long sliding clip: seam height 25 mm suitable for Generation Roof XL suitable for mechanically locked standing seam roofs		304	21020	Pcs			
	Long sliding clip: seam height 25 mm suitable for Generation Roof XL suitable for welded standing seam roofs		304	21022	Pcs			
	Long sliding clip: seam height 32 mm suitable for Generation Roof XL suitable for mechanically locked standing seam roofs		304	21021	Pcs			
	Long sliding clip: seam height 32 mm suitable for Generation Roof XL suitable for welded standing seam roofs		304	21023	Pcs			
	Long sliding clip: seam height 38 mm suitable for Generation Roof XL suitable for mechanically locked standing seam roofs		304	16263	Pcs			
	Long sliding clip: seam height 38 mm suitable for Generation Roof XL suitable for welded standing seam roofs		304	21024	Pcs			
Screws  illustration only	Suitable for engineering package Generation Roof Size: project related Material + type: project related			16266	Pcs			


POA = price on application

PRODUCT	DESCRIPTION	DESIGN	ALLOY	ART. NO	UNIT	QTY/PU	PRICE GROUP	PRICE/UNIT
Tartan Typic M square diamond roof tile model Typic: flat + projecting tip 	min. 22° roof pitch Size: 330 x 330 mm Yield: 9.2 pcs / m ² with Acoustic film and protection film incl. 1 clip incl. stainless steel nails 2.8 x 25	Classic	304	19000	m ²	50	6	74.52
		Tin matte (terne)	439	19001	m ²	50	6	75.37
		Chroma	304	19002	m ²	50	6	77.30
		Vulcano	304	19003	m ²	50	6	98.75
Tartan Typic L square diamond roof tile model Typic: flat + projecting tip 	min. 22° roof pitch Size: 410 x 410 mm Yield: 5.9 pcs / m ² with Acoustic film and protection film incl. 2 clips incl. stainless steel nails 2.8 x 25	Classic	304	19012	m ²	25	6	65.96
		Tin matte (terne)	439	19013	m ²	25	6	60.21
		Chroma	304	19014	m ²	25	6	68.67
		Vulcano	304	19015	m ²	25	6	89.58
Tartan Typic XL square diamond roof tile model Typic: flat + projecting tip 	min. 22° roof pitch Size: 510 x 510 mm Yield: 3.8 pcs / m ² with Acoustic film and protection film incl. 3 clips incl. stainless steel nails 2.8 x 25	Classic	304	19024	m ²	25	6	57.58
		Tin matte (terne)	439	19025	m ²	25	6	52.96
		Chroma	304	19026	m ²	25	6	60.20
		Vulcano	304	19027	m ²	25	6	80.44

			ART. NO	PRICE/UNIT	ART. NO	PRICE/UNIT	ART. NO	PRICE/UNIT
Tartan Typic start tile 1/2 model Typic: flat + projecting tip 	with Acoustic film and protection film incl. 2 clips incl. stainless steel nails 2.8 x 25 Alloy: 304 Unit: Pcs M = 50 Pcs / PU L = 25 Pcs / PU XL = 25 Pcs / PU Price group: 1	Typic M			Typic L		Typic XL	
			Size: 230 x 467 mm		Size: 285 x 580 mm		Size: 355 x 721 mm	
			Yield: 2.1 Pcs / m		Yield: 1.7 Pcs / m		Yield: 1.4 Pcs / m	
		Classic	19273	9.10	19285	10.38	19297	12.62
		Tin matte (terne)	19274	9.05	19286	9.85	19298	11.80
Chroma	19275	9.27	19287	10.63	19299	13.00		
Vulcano	19276	10.60	19288	12.57	19300	15.99		
Tartan Typic end tile 3/8 model Typic: flat + projecting tip 	with Acoustic film and protection film incl. 2 clips incl. stainless steel nails 2.8 x 25 Alloy: 304 Unit: Pcs M = 50 Pcs / PU L = 25 Pcs / PU XL = 25 Pcs / PU Price group: 1	Typic M			Typic L		Typic XL	
			Size: ca. 3/8 of tile size		Size: ca. 3/8 of tile size		Size: ca. 3/8 of tile size	
		Classic	19345	9.10	19357	10.38	19369	12.62
		Tin matte (terne)	19346	9.05	19358	9.85	19370	11.80
		Chroma	19347	9.27	19359	10.63	19371	13.00
Vulcano	19348	10.60	19360	12.57	19372	15.99		

Coilweight of HFX stainless from Roofinox

Roofinox Classic 0.5 mm	in 304	3.95 kg / m ²	Roofinox Classic 0.4 mm	in 304	3.16 kg / m ²
Roofinox Classic 0.5 mm	in 316L	4.00 kg / m ²	Roofinox Classic 0.4mm	in 316L	3.20 kg / m ²
Roofinox tin matte 0.5 mm	in 439	3.85 kg / m ²			

PRODUCT	DESCRIPTION	DESIGN	ALLOY	ART. NO	UNIT	QTY/PU	PRICE GROUP	PRICE/UNIT
Mansard diamond roof tile as of 25° roof pitch 	Size: 270 x 530 mm Yield: 12.5 pcs / m ² with Acoustic film and protection film incl. 2 clips incl. stainless steel nails 2.8 x 25	Classic	304	19096	m ²	50	6	116.16
		Tin matte (terne)	439	19097	m ²	50	6	110.33
		Chroma	304	19098	m ²	50	6	119.48
		Vulcano	304	19099	m ²	50	6	145.05
Metro rhomboid roof tile as of 25° roof pitch 	Size: 270 x 440 mm Yield: 8.4 pcs / m ² with Acoustic film and protection film incl. 2 clips incl. stainless steel nails 2.8 x 25	Classic	304	19108	m ²	50	6	76.67
		Tin matte (terne)	439	19109	m ²	50	6	71.65
		Chroma	304	19110	m ²	50	6	79.06
		Vulcano	304	19111	m ²	50	6	97.45
System clip Roofinox offset adapted to tile design 	system clip 20 short fold excl. stainless steel nails suitable for Mansard, Metro system clip 30 long fold excl. stainless steel nails suitable for Tartan Typic		304	19144	100 Pcs	200	3	13.12
			304	19417	100 Pcs	1000	3	13.12
			304	19418	100 Pcs	200	3	13.42
			304	19419	100 Pcs	1000	3	13.42
Start cleat strip roof tiles made of Roofinox Classic pre-drilled 	Length: 2000 mm incl. stainless steel nails 2.8 x 30	Classic	304	19149	m	5	1	21.87
Matador M roof tile incl. Acoustic film as of 10° roof pitch 	Size: 886 x 320 mm Yield: 3.5 pcs / m ² incl.: 3 clips / tile and stainless steel nails: 2.8 x 30	Classic	304	18001	m ²	11	6	81.58
		Tin matte (terne)	439	18007	m ²	11	6	75.48
		Chroma	304	18004	m ²	11	6	84.47
		Vulcano	304	18010	m ²	11	6	106.81
Matador S roof tile incl. Acoustic film as of 10° roof pitch 	Size: 443 x 320 mm Yield: 7 pcs / m ² incl.: 2 clips / tile and stainless steel nails: 2.8 x 30	Classic	304	18000	m ²	11	6	116.69
		Tin matte (terne)	439	18006	m ²	11	6	109.88
		Chroma	304	18003	m ²	11	6	119.92
		Vulcano	304	18009	m ²	11	6	144.87
Matador L roof tile incl. Acoustic film as of 10° roof pitch 	Size: 1329 x 320 mm Yield: 2.4 pcs / m ² incl.: 4 clips / tile and stainless steel nails: 2.8 x 30	Classic	304	18002	m ²	7	6	72.40
		Tin matte (terne)	439	18008	m ²	7	6	66.55
		Chroma	304	18005	m ²	7	6	75.19
		Vulcano	304	18011	m ²	7	6	96.65

PRODUCT	DESCRIPTION	DESIGN	ALLOY	ART. NO	UNIT	QTY/PU	PRICE GROUP	PRICE/UNIT
Matador repair tile M incl. Acoustic film 	Size: 886 x 320 mm without clips	Classic	304	18069	Pcs	5	1	30.10
		Tin matte (terne)	439	18075	Pcs	5	1	29.63
		Chroma	304	18072	Pcs	5	1	29.98
		Vulcano	304	18078	Pcs	5	1	38.10
Matador repair tile S incl. Acoustic film 	Size: 443 x 320 mm without clips	Classic	304	18068	Pcs	5	1	29.79
		Tin matte (terne)	439	18074	Pcs	5	1	29.32
		Chroma	304	18071	Pcs	5	1	29.73
		Vulcano	304	18077	Pcs	5	1	38.19
Matador repair tile L incl. Acoustic film 	Size: 1329 x 320 mm without clips	Classic	304	18070	Pcs	5	1	30.47
		Tin matte (terne)	439	18076	Pcs	5	1	29.99
		Chroma	304	18073	Pcs	5	1	30.30
		Vulcano	304	18079	Pcs	5	1	38.40
Matador clip Roofinox Classic 304 HFX stainless 	100 pcs / box excl. stainless steel nails	Classic	304	18456	100 Pcs	100	6	16.95
Start cleat strip Matador made of Roofinox Classic pre-drilled incl. marks for chalk line 	Length: 1330 mm incl. stainless steel nails 2.8 x 30	Classic	304	18012	Pcs	10	1	20.53
Verge board element LEFT Height: 80 mm for Matador 	Size: 320 x 80 mm incl. bracket Please note: „LEFT“ or „RIGHT“ part	Classic	304	18024	Pcs	18	1	18.08
		Tin matte (terne)	439	18026	Pcs	18	1	17.96
		Chroma	304	18028	Pcs	18	1	18.06
		Vulcano	304	18030	Pcs	18	1	18.73
Verge board element RIGHT Height: 80 mm for Matador 	Size: 320 x 80 mm incl. bracket Please note: „LEFT“ or „RIGHT“ part	Classic	304	18025	Pcs	18	1	18.08
		Tin matte (terne)	439	18027	Pcs	18	1	17.96
		Chroma	304	18029	Pcs	18	1	18.06
		Vulcano	304	18031	Pcs	18	1	18.73

PRODUCT	DESCRIPTION	DESIGN	ALLOY	ART. NO	UNIT	QTY/PU	PRICE GROUP	PRICE/UNIT
Verge board element LEFT Height: 120 mm for Matador 	Size: 320 x 120 mm incl. bracket Please note: „LEFT“ or „RIGHT“ part	Classic	304	18032	Pcs	12	1	22.68
		Tin matte (terne)	439	18034	Pcs	12	1	22.54
		Chroma	304	18036	Pcs	12	1	22.66
		Vulcano	304	18038	Pcs	12	1	25.33
Verge board element RIGHT Height: 120 mm for Matador 	Size: 320 x 120 mm incl. bracket Please note: „LEFT“ or „RIGHT“ part	Classic	304	18033	Pcs	12	1	22.68
		Tin matte (terne)	439	18035	Pcs	12	1	22.54
		Chroma	304	18037	Pcs	12	1	22.66
		Vulcano	304	18039	Pcs	12	1	25.33
Ridge vent 2-part for tiles and Matador 	Size: 1820 mm air intake section 295 cm ² / m incl. stainless steel screw w sealing washer	Classic	304	18016	Pcs	2	1	113.31
		Tin matte (terne)	439	18017	Pcs	2	1	110.72
		Chroma	304	18018	Pcs	2	1	112.79
		Vulcano	304	18019	Pcs	2	1	133.47
Ridge vent end cap for tiles and Matador 	clip on with overlapping bead	Classic	304	18020	Pcs	2	1	29.19
		Tin matte (terne)	439	18021	Pcs	2	1	28.98
		Chroma	304	18022	Pcs	2	1	29.14
		Vulcano	304	18023	Pcs	2	1	32.51
Hip and ridge cap halfround for tiles and Matador 	Length: 430 mm Coverage length: 0.43 m / pc Yield: 2.3 pcs / m	Classic	304	18056	Pcs	10	1	26.08
		Tin matte (terne)	439	18057	Pcs	10	1	25.87
		Chroma	304	18058	Pcs	10	1	26.04
		Vulcano	304	18059	Pcs	10	1	28.44
Hip and ridge start cap for tiles and Matador 	Length: 430 mm	Classic	304	18060	Pcs	1	1	34.10
		Tin matte (terne)	439	18061	Pcs	1	1	28.26
		Chroma	304	18062	Pcs	1	1	34.06
		Vulcano	304	18063	Pcs	1	1	36.46
Hip and ridge end cap for tiles and Matador 	Length: 430 mm	Classic	304	18064	Pcs	1	1	34.10
		Tin matte (terne)	439	18065	Pcs	1	1	30.54
		Chroma	304	18066	Pcs	1	1	34.06
		Vulcano	304	18067	Pcs	1	1	36.46

PRODUCT	DESCRIPTION	DESIGN	ALLOY	ART. NO	UNIT	QTY/PU	PRICE GROUP	PRICE/UNIT
Ventilation hood complete (pre-mounted) for Matador 	incl. Matador M roof tile	Classic	304	18044	Pcs	2	1	46.41
		Tin matte (terne)	439	18045	Pcs	2	1	44.51
		Chroma	304	18046	Pcs	2	1	46.24
		Vulcano	304	18047	Pcs	2	1	55.82
Ventilation hood (single) for tiles and Matador 	for riveting	Classic	304	18040	Pcs	4	1	25.58
		Tin matte (terne)	439	18041	Pcs	4	1	25.42
		Chroma	304	18042	Pcs	4	1	25.55
		Vulcano	304	18043	Pcs	4	1	27.39
Vent flashing plate DN100 for tiles and Matador 	Size: 1200 x 410 mm base plate with standing seam roof pitch from 15° to 60°	Classic	304	18080	Pcs	1	1	101.29
		Tin matte (terne)	439	18081	Pcs	1	1	99.90
		Chroma	304	18082	Pcs	1	1	101.01
		Vulcano	304	18083	Pcs	1	1	111.34
Vent flashing plate DN125 for tiles and Matador 	Size: 1200 x 410 mm base plate with standing seam roof pitch from 15° to 60°	Classic	304	18048	Pcs	1	1	101.29
		Tin matte (terne)	439	18049	Pcs	1	1	99.90
		Chroma	304	18050	Pcs	1	1	101.01
		Vulcano	304	18051	Pcs	1	1	117.75
Universal flashing plate for tiles and Matador 	Size: 1200 x 410 mm 2-piece for DN60 - DN100 roof pitch from 15° to 60°	Classic	304	18052	Pcs	1	1	113.94
		Tin matte (terne)	439	18053	Pcs	1	1	112.52
		Chroma	304	18054	Pcs	1	1	113.66
		Vulcano	304	18055	Pcs	1	1	123.75
Vent pipe DN100 for tiles and Matador 	with vent cap and pipe collar for connection to base plate			18112	Pcs	1	1	90.54
Vent pipe DN125 for tiles and Matador 	with vent cap and pipe collar for connection to base plate			18116	Pcs	1	1	101.34
Snow guard for tiles and Matador 	stainless steel 304 incl. stainless steel nails 2.8 x 25	Classic	304	18152	Pcs	100	1	2.44

ACCU SNIPS

Work faster, less tool wear!

Accu snips specially developed for Roofinox - for precise and fast work.

Product highlights

- Wireless cutting with the same power as wired
- Ergonomic 18V motor
- LED battery level indicator + intelligent charger:
Temperature, voltage and capacity
- Cutting up to 200 meters with one battery charge

Features

- Max. cutting performance: 1.5 mm (304) / 3.0 mm (non-ferrous metals)
- Flat seam: 4 x 0.6 mm (304)
- Standing seam: 6 x 0.5 mm (304)
- Smallest inner radius: +/- 200 mm
- Working speed: +/- 5 m / min
- Stroke rate: +/- 1800 min-1



Scan with a cell phone camera and discover in action!

Price information on page 49

PRODUCT	DESCRIPTION	DESIGN	ALLOY	ART. NO	UNIT	QTY/PU	PRICE GROUP	PRICE/UNIT
Horizontal flashing for VELUX roof windows for tiles and Matador 	Dimension: 550 mm Size: XS Length: 55 cm	Classic	304	18168	Pcs	1	1	174.78
		Tin matte	439	18169	Pcs	1	1	174.39
		Chroma	304	18170	Pcs	1	1	176.11
		Vulcano	304	18171	Pcs	1	1	203.95
	Dimension: 660 mm Size: S Length: 66 cm	Classic	304	18172	Pcs	1	1	180.62
		Tin matte	439	18173	Pcs	1	1	178.44
		Chroma	304	18174	Pcs	1	1	180.18
		Vulcano	304	18175	Pcs	1	1	209.66
	Dimension: 780 mm Size: M Length: 78 cm	Classic	304	18176	Pcs	1	1	188.01
		Tin matte	439	18177	Pcs	1	1	185.50
		Chroma	304	18178	Pcs	1	1	187.50
		Vulcano	304	18179	Pcs	1	1	218.67
	Dimension: 940 mm Size: L Length: 94 cm	Classic	304	18180	Pcs	1	1	194.53
		Tin matte	439	18181	Pcs	1	1	191.72
		Chroma	304	18182	Pcs	1	1	193.96
		Vulcano	304	18183	Pcs	1	1	227.70
	Dimension: 1140 mm Size: XL Length: 114 cm	Classic	304	18184	Pcs	1	1	205.90
		Tin matte	439	18185	Pcs	1	1	202.77
		Chroma	304	18186	Pcs	1	1	205.27
		Vulcano	304	18187	Pcs	1	1	242.78
Dimension: 1340 mm Size: XXL Length: 134 cm	Classic	304	18188	Pcs	1	1	231.09	
	Tin matte	439	18189	Pcs	1	1	227.72	
	Chroma	304	18190	Pcs	1	1	230.41	
	Vulcano	304	18191	Pcs	1	1	272.38	
Vertical flashing for VELUX roof windows for tiles and Matador 	Dimension: 780 mm Size: XS Length: 78 cm	Classic	304	18192	Pcs	1	1	24.86
		Tin matte	439	18193	Pcs	1	1	24.20
		Chroma	304	18194	Pcs	1	1	24.73
		Vulcano	304	18195	Pcs	1	1	30.94
	Dimension: 980 mm Size: S Length: 98 cm	Classic	304	18196	Pcs	1	1	29.88
		Tin matte	439	18197	Pcs	1	1	29.00
		Chroma	304	18198	Pcs	1	1	29.70
		Vulcano	304	18199	Pcs	1	1	37.89
	Dimension: 1180 mm Size: M Length: 118 cm	Classic	304	18200	Pcs	1	1	34.94
		Tin matte	439	18201	Pcs	1	1	33.88
		Chroma	304	18202	Pcs	1	1	34.73
		Vulcano	304	18203	Pcs	1	1	44.90
	Dimension: 1400 mm Size: L Length: 140 cm	Classic	304	18204	Pcs	1	1	40.29
		Tin matte	439	18205	Pcs	1	1	38.99
		Chroma	304	18206	Pcs	1	1	40.03
		Vulcano	304	18207	Pcs	1	1	52.35
	Dimension: 1600 mm Size: XL Length: 160 cm	Classic	304	18208	Pcs	1	1	45.30
		Tin matte	439	18209	Pcs	1	1	43.79
		Chroma	304	18210	Pcs	1	1	45.00
		Vulcano	304	18211	Pcs	1	1	59.28
	Dimension: 1800 mm Size: XXL Length: 180 cm	Classic	304	18212	Pcs	1	1	55.67
		Tin matte	439	18213	Pcs	1	1	53.97
		Chroma	304	18214	Pcs	1	1	55.33
		Vulcano	304	18215	Pcs	1	1	71.72

ROOF WINDOW FLASHINGS

The complete range for skylight flashing including flashing combo, expansion modules for triple or multiple combinations (components with description 4) as well as connector modules 120 mm or 140 mm is available upon request. Please call or message via email (office@roofinox.com) for email delivery or download at www.roofinox.com.

PRODUCT	DESCRIPTION	DESIGN	ALLOY	ART. NO	UNIT	QTY/PU	PRICE GROUP	PRICE/UNIT
Horizontal flashing for ROTO roof windows for tiles and Matador 	Dimension: 540 mm Size: XS Length: 54 cm	Classic	304	18312	Pcs	1	1	174.78
		Tin matte	439	18313	Pcs	1	1	172.64
		Chroma	304	18314	Pcs	1	1	174.35
		Vulcano	304	18315	Pcs	1	1	202.20
	Dimension: 650 mm Size: S Length: 65 cm	Classic	304	18316	Pcs	1	1	178.86
		Tin matte	439	18317	Pcs	1	1	176.68
		Chroma	304	18318	Pcs	1	1	178.43
		Vulcano	304	18319	Pcs	1	1	207.90
	Dimension: 740 mm Size: M Length: 74 cm	Classic	304	18320	Pcs	1	1	186.25
		Tin matte	439	18321	Pcs	1	1	183.74
		Chroma	304	18322	Pcs	1	1	185.75
		Vulcano	304	18323	Pcs	1	1	216.91
	Dimension: 940 mm Size: L Length: 94 cm	Classic	304	18324	Pcs	1	1	193.10
		Tin matte	439	18325	Pcs	1	1	190.29
		Chroma	304	18326	Pcs	1	1	192.54
		Vulcano	304	18327	Pcs	1	1	226.40
	Dimension: 1140 mm Size: XL Length: 114 cm	Classic	304	18328	Pcs	1	1	204.14
		Tin matte	439	18329	Pcs	1	1	201.02
		Chroma	304	18330	Pcs	1	1	203.52
		Vulcano	304	18331	Pcs	1	1	241.03
Dimension: 1340 mm Size: XXL Length: 134 cm	Classic	304	18332	Pcs	1	1	229.33	
	Tin matte	439	18333	Pcs	1	1	225.96	
	Chroma	304	18334	Pcs	1	1	228.66	
	Vulcano	304	18335	Pcs	1	1	270.62	
Vertical flashing for ROTO roof windows for tiles and Matador 	Dimension: 780 mm Size: XS Length: 78 cm	Classic	304	18336	Pcs	1	1	24.86
		Tin matte	439	18337	Pcs	1	1	24.20
		Chroma	304	18338	Pcs	1	1	24.73
		Vulcano	304	18339	Pcs	1	1	30.94
	Dimension: 980 mm Size: S Length: 98 cm	Classic	304	18340	Pcs	1	1	29.88
		Tin matte	439	18341	Pcs	1	1	29.00
		Chroma	304	18342	Pcs	1	1	29.70
		Vulcano	304	18343	Pcs	1	1	37.89
	Dimension: 1180 mm Size: M Length: 118 cm	Classic	304	18344	Pcs	1	1	34.94
		Tin matte	439	18345	Pcs	1	1	33.88
		Chroma	304	18346	Pcs	1	1	34.73
		Vulcano	304	18347	Pcs	1	1	44.90
	Dimension: 1400 mm Size: L Length: 140 cm	Classic	304	18348	Pcs	1	1	39.42
		Tin matte	439	18349	Pcs	1	1	38.12
		Chroma	304	18350	Pcs	1	1	39.16
		Vulcano	304	18351	Pcs	1	1	51.48
	Dimension: 1600 mm Size: XL Length: 160 cm	Classic	304	18352	Pcs	1	1	44.42
		Tin matte	439	18353	Pcs	1	1	42.91
		Chroma	304	18354	Pcs	1	1	44.12
		Vulcano	304	18355	Pcs	1	1	58.40
Dimension: 1800 mm Size: XXL Length: 180 cm	Classic	304	18356	Pcs	1	1	54.80	
	Tin matte	439	18357	Pcs	1	1	53.09	
	Chroma	304	18358	Pcs	1	1	54.45	
	Vulcano	304	18359	Pcs	1	1	70.84	

ORDERING EXAMPLE FOR ROOF WINDOW FLASHING VELUX

1 roof window VELUX 78 x 118 cm flashing with Roofinox Classic, 1 unit each required:
 Horizontal flashing, size M, length: 78 cm (Art No. 18176)
 Vertical flashing, size M, length: 118 cm (Art.No. 18200)


PRODUCT	DESCRIPTION	DESIGN	ALLOY	ART. NO	UNIT	QTY/PU	PRICE GROUP	PRICE/UNIT
Installation base plate stainless steel for tiles and Matador 	suitable for snow guard / solar / walkway incl. sealing foam pads		304	18124	Pcs	12	1	17.54
Pipe-style snow guard bracket for tiles and Matador 	round pipes, 2 pipe openings incl. fasteners and 2 fixation screws stainless steel 304 use only with installation base plate		304	18120	Pcs	4	1	30.26
3/4" snow guard pipe for tiles and Matador 	Length: 3000 mm pipe 3/4", DIN 2440 stainless steel 304 in 1.5 mm		304	18136	m	9	1	13.94
Snow guard pipe connector for tiles and Matador 	for 3/4" pipes according to DIN 2440 stainless steel 304 in 1.5 mm		304	18140	Pcs	1	1	9.38
Fence-style snow guard bracket 200 for tiles and Matador 	Size: 200 mm incl. fasteners stainless steel 304 use only with installation base plate		304	18128	Pcs	4	1	26.38
Fence-style snow guard 200 for tiles and Matador 	Size: 2000 x 200 mm incl. connector stainless steel 304 in 1.5 mm		304	18144	m	4	1	47.05
Fence-style snow guard bracket 250 for tiles and Matador 	Size: 250 mm incl. fasteners stainless steel 304 use only with installation base plate		304	18132	Pcs	4	1	28.80

PRODUCT	DESCRIPTION	DESIGN	ALLOY	ART. NO	UNIT	QTY/PU	PRICE GROUP	PRICE/UNIT
Fence-style snow guard 250 for tiles and Matador 	Size: 2000 x 250 mm incl. connector stainless steel 304 in 1.5 mm		304	18148	m	4	1	48.42
Solar bracket for tiles and Matador 	incl. fasteners stainless steel 304 use only with installation base plate		304	18108	Pcs	24	1	17.68
Walkway support for tiles and Matador 	for 250 mm wide safety walkways incl. fasteners adjustable range from 15° to 60° stainless steel 304 use only with installation base plate		304	18104	Pcs	4	1	43.04
Single anchor point (EAP) for tiles and Matador 	stainless steel 304 use only with installation base plate		304	18160	Pcs	20	1	41.18
Roof anchor DUO with anchor hook and anchor point for tiles and Matador 	stainless steel 304 use only with installation base plate		304	18156	Pcs	20	1	100.75
Anchor point (ASP) for lifeline system for tiles and Matador 	stainless steel 304 Height: 100 mm use only with installation base plate		304	18164	Pcs	20	1	107.06
Cable / pipe hood for solar and pipes for tiles and Matador 	for riveting incl. flexible pipe collar	Classic	304	18096	Pcs	4	1	29.47
		Tin matte (terne)	439	18097	Pcs	4	1	29.32
		Chroma	304	18098	Pcs	4	1	29.44
		Vulcano	304	18099	Pcs	4	1	31.12

PRODUCT	DESCRIPTION	DESIGN	ALLOY	ART. NO	UNIT	QTY/PU	PRICE GROUP	PRICE/UNIT
Adhesive pipe flashing DN60 for tiles and Matador 	for pipe duct roof pitch from 10° to 60° excl. special adhesive	Classic	304	18084	Pcs	1	1	99.11
		Tin matte (terne)	439	18085	Pcs	1	1	98.75
		Chroma	304	18086	Pcs	1	1	99.04
		Vulcano	304	18087	Pcs	1	1	106.49
Adhesive pipe flashing DN100 for tiles and Matador 	for pipe duct roof pitch from 10° to 60° excl. special adhesive	Classic	304	18088	Pcs	1	1	102.03
		Tin matte (terne)	439	18089	Pcs	1	1	101.66
		Chroma	304	18090	Pcs	1	1	101.95
		Vulcano	304	18091	Pcs	1	1	115.25
Adhesive pipe flashing DN125 for tiles and Matador 	for pipe duct roof pitch from 10° to 60° excl. special adhesive	Classic	304	18092	Pcs	1	1	114.47
		Tin matte (terne)	439	18093	Pcs	1	1	114.12
		Chroma	304	18094	Pcs	1	1	114.40
		Vulcano	304	18095	Pcs	1	1	126.99
Roof hatch for tiles and Matador Size: 500 x 700 mm 	sideways opening hatch 4 mm single-pane safety glass Weight: 16.7 kg / pc	Classic	304	18100	Pcs	1	1	297.15
		Tin matte (terne)	439	18101	Pcs	1	1	291.28
		Chroma	304	18102	Pcs	1	1	295.97
		Vulcano	304	18103	Pcs	1	1	305.22
Roofinox stainless steel 304 loose nails 	2.8 x 25 mm loose nails in 2.5 kg box		304	19271	Kg	2.5	5	16.97
	2.8 x 30 mm loose nails in 2.5 kg box		304	19270	Kg	2.5	5	16.97
Roofinox stainless steel 304 coil nails welded to stainless steel wire 	2.8 x 25 mm box with 7.200 pcs suitable for standard nail-guns (e.g. Haubold, Bostitch, Tjep, Paslode, BeA)		304	19420	1000 Pcs	7200	5	22.36
	2.8 x 30 mm box with 7.200 pcs suitable for standard nail-guns (e.g. Haubold, Bostitch, Tjep, Paslode, BeA)		304	19421	1000 Pcs	7200	5	24.76


TARTAN TYPIC

Model: flat + projecting tip




TARTAN STYLE


Model: orthogonal + aligned edges





Roofinox façade systems

PRODUCT	DESCRIPTION	DESIGN	ALLOY	ART. NO	UNIT	QTY/PU	PRICE GROUP	PRICE/UNIT
Tartan Typic M square diamond façade tile model Typic: flat + projecting tip 	Size: 330 x 330 mm Yield: 9.2 pcs / m ² with Acoustic film and protection film incl. 1 clip incl. stainless steel nails 2.8 x 25	Classic	304	19000	m ²	50	6	74.52
		Chroma	304	19002	m ²	50	6	77.30
		Vulcano	304	19003	m ²	50	6	98.75
		Pearl	304	19010	m ²	50	6	77.08
		Plus Matte	304	19011	m ²	50	6	67.83
		Champagne	304	19004	m ²	50	6	170.27
		Bronze	304	19005	m ²	50	6	170.27
		Rose-Gold	304	19006	m ²	50	6	170.27
		Black	304	19007	m ²	50	6	170.27
		Plasma	304	19008	m ²	50	6	199.10
Tartan Typic L square diamond façade tile model Typic: flat + projecting tip 	Size: 410 x 410 mm Yield: 5.9 pcs / m ² with Acoustic film and protection film incl. 2 clips incl. stainless steel nails 2.8 x 25	Classic	304	19012	m ²	25	6	65.96
		Chroma	304	19014	m ²	25	6	68.67
		Vulcano	304	19015	m ²	25	6	89.58
		Pearl	304	19022	m ²	25	6	68.89
		Plus Matte	304	19023	m ²	25	6	59.78
		Champagne	304	19016	m ²	25	6	161.45
		Bronze	304	19017	m ²	25	6	161.45
		Rose-Gold	304	19018	m ²	25	6	161.45
		Black	304	19019	m ²	25	6	161.45
		Plasma	304	19020	m ²	25	6	189.26
Tartan Typic XL square diamond façade tile model Typic: flat + projecting tip 	Size: 510 x 510 mm Yield: 3.8 pcs / m ² with Acoustic film and protection film incl. 3 clips incl. stainless steel nails 2.8 x 25	Classic	304	19024	m ²	25	6	57.58
		Chroma	304	19026	m ²	25	6	60.20
		Vulcano	304	19027	m ²	25	6	80.44
		Pearl	304	19034	m ²	25	6	69.83
		Plus Matte	304	19035	m ²	25	6	61.35
		Champagne	304	19028	m ²	25	6	149.72
		Bronze	304	19029	m ²	25	6	149.72
		Rose-Gold	304	19030	m ²	25	6	149.72
		Black	304	19031	m ²	25	6	149.72
		Plasma	304	19032	m ²	25	6	176.32
Tartan Style M square diamond façade tile model Style: orthogonal tip + aligned edges 	Size: 330 x 330 mm Yield: 9.2 pcs / m ² with Acoustic film and protection film incl. 1 clip incl. stainless steel nails 2.8 x 25	Classic	304	19036	m ²	50	6	74.61
		Chroma	304	19038	m ²	50	6	77.39
		Vulcano	304	19039	m ²	50	6	98.87
		Pearl	304	19046	m ²	50	6	77.51
		Plus Matte	304	19047	m ²	50	6	68.18
		Champagne	304	19040	m ²	50	6	170.51
		Bronze	304	19041	m ²	50	6	170.51
		Rose-Gold	304	19042	m ²	50	6	170.51
		Black	304	19043	m ²	50	6	170.51
		Plasma	304	19044	m ²	50	6	199.40
Tartan Style L square diamond façade tile model Style: orthogonal tip + aligned edges 	Size: 430 x 430 mm Yield: 5.4 pcs / m ² with Acoustic film and protection film incl. 2 clip incl. stainless steel nails 2.8 x 25	Classic	304	19048	m ²	25	6	60.34
		Chroma	304	19050	m ²	25	6	72.43
		Vulcano	304	19051	m ²	25	6	82.02
		Pearl	304	19058	m ²	25	6	62.63
		Plus Matte	304	19059	m ²	25	6	54.35
		Champagne	304	19052	m ²	25	6	143.68
		Bronze	304	19053	m ²	25	6	143.68
		Rose-Gold	304	19054	m ²	25	6	143.68
		Black	304	19055	m ²	25	6	143.68
		Plasma	304	19056	m ²	25	6	168.28
Tartan Style XL square diamond façade tile model Style: orthogonal tip + aligned edges 	Size: 530 x 530 mm Yield: 3.6 pcs / m ² with Acoustic film and protection film incl. 3 clip incl. stainless steel nails 2.8 x 25	Classic	304	19060	m ²	25	6	53.60
		Chroma	304	19062	m ²	25	6	56.05
		Vulcano	304	19063	m ²	25	6	74.93
		Pearl	304	19070	m ²	25	6	55.85
		Plus Matte	304	19071	m ²	25	6	47.71
		Champagne	304	19064	m ²	25	6	138.63
		Bronze	304	19065	m ²	25	6	138.63
		Rose-Gold	304	19066	m ²	25	6	138.63
		Black	304	19067	m ²	25	6	138.63
		Plasma	304	19068	m ²	25	6	163.27
Proton	304	19069	m ²	25	6	239.63		

QTY/PU = Quantity / packaging unit

PRODUCT	DESCRIPTION	DESIGN	ART. NO	PRICE/ UNIT	ART. NO	PRICE/ UNIT	ART. NO	PRICE/ UNIT
Tartan Typic start tile 1/2 model Typic: flat + projecting tip 	with Acoustic film and protection film incl. 2 clips incl. stainless steel nails 2.8 x 25 Alloy: 304 Unit: Pcs M = 50 Pcs / PU L = 25 Pcs / PU XL = 25 Pcs / PU Price group: 1		Typic M Size: 230 x 467 mm Yield: 2.1 Pcs / m		Typic L Size: 285 x 580 mm Yield: 1.7 Pcs / m		Typic XL Size: 355 x 721 mm Yield: 1.4 Pcs / m	
		Classic	19273	9.10	19285	10.38	19297	12.62
		Chroma	19275	9.27	19287	10.63	19299	13.00
		Vulcano	19276	10.60	19288	12.57	19300	15.99
		Pearl	19283	9.26	19295	10.61	19307	12.97
		Plus Matte	19284	8.68	19296	9.78	19308	11.68
		Champagne	19277	15.01	19289	18.98	19301	25.89
		Bronze	19278	15.01	19290	18.98	19302	25.89
		Rose-Gold	19279	15.01	19291	18.98	19303	25.89
		Black	19280	15.01	19292	18.98	19304	25.89
		Plasma	19281	16.86	19293	21.67	19305	30.05
Proton	19282	22.60	19294	30.02	19306	42.94		
Tartan Typic end tile 3/8 model Typic: flat + projecting tip 	with Acoustic film and protection film incl. 2 clips incl. stainless steel nails 2.8 x 25 Alloy: 304 Unit: Pcs M = 50 Pcs / PU L = 25 Pcs / PU XL = 25 Pcs / PU Price group: 1		Typic M Size: ca. 3/8 of tile size		Typic L Size: ca. 3/8 of tile size		Typic XL Size: a. 3/8 of tile size	
		Classic	19345	9.10	19357	10.38	19369	12.62
		Chroma	19347	9.27	19359	10.63	19371	13.00
		Vulcano	19348	10.60	19360	12.57	19372	15.99
		Pearl	19355	9.26	19367	10.61	19379	12.97
		Plus Matte	19356	8.68	19368	9.78	19380	11.68
		Champagne	19349	15.01	19361	18.98	19373	25.89
		Bronze	19350	15.01	19362	18.98	19374	25.89
		Rose-Gold	19351	15.01	19363	18.98	19375	25.89
		Black	19352	15.01	19364	18.98	19376	25.89
		Plasma	19353	16.86	19365	21.67	19377	30.05
Proton	19354	22.60	19366	30.02	19378	42.94		
Tartan Style start tile 1/2 model Style: orthogonal tip + aligned edges 	with Acoustic film and protection film incl. 2 clips incl. stainless steel nails 2.8 x 25 Alloy: 304 Unit: Pcs M = 50 Pcs / PU L = 25 Pcs / PU XL = 25 Pcs / PU Price group: 1		Style M Size: 230 x 471 mm Yield: 2.1 Stk / m		Style L Size: 300 x 612 mm Yield: 1.6 Stk / m		Style XL Size: 370 x 754 mm Yield: 1.3 Stk / m	
		Classic	19309	9.10	19321	10.38	19333	12.62
		Chroma	19311	9.27	19323	10.63	19335	13.00
		Vulcano	19312	10.60	19324	12.57	19336	15.99
		Pearl	19319	9.26	19331	10.61	19343	12.97
		Plus Matte	19320	8.68	19332	9.78	19344	11.68
		Champagne	19313	15.01	19325	18.98	19337	25.89
		Bronze	19314	15.01	19326	18.98	19338	25.89
		Rose-Gold	19315	15.01	19327	18.98	19339	25.89
		Black	19316	15.01	19328	18.98	19340	25.89
		Plasma	19317	16.86	19329	21.67	19341	30.05
Proton	19318	22.60	19330	30.02	19342	42.94		
Tartan Style end tile 3/8 model Style: orthogonal tip + aligned edges 	with Acoustic film and protection film incl. 2 clips incl. stainless steel nails 2.8 x 25 Alloy: 304 Unit: Pcs M = 50 Pcs / PU L = 25 Pcs / PU XL = 25 Pcs / PU Price group: 1		Style M Size: ca. 3/8 of tile size		Style L Size: ca. 3/8 of tile size		Style XL Size: ca. 3/8 of tile size	
		Classic	19381	9.10	19393	10.38	19405	12.62
		Chroma	19383	9.27	19395	10.63	19407	13.00
		Vulcano	19384	10.60	19396	12.57	19408	15.99
		Pearl	19391	9.26	19403	10.61	19415	12.97
		Plus Matte	19392	8.68	19404	9.78	19416	11.68
		Champagne	19385	15.01	19397	18.98	19409	25.89
		Bronze	19386	15.01	19398	18.98	19410	25.89
		Rose-Gold	19387	15.01	19399	18.98	19411	25.89
		Black	19388	15.01	19400	18.98	19412	25.89
		Plasma	19389	16.86	19401	21.67	19413	30.05
Proton	19390	22.60	19402	30.02	19414	42.94		

PRODUCT	DESCRIPTION	DESIGN	ALLOY	ART. NO	UNIT	QTY/PU	PRICE GROUP	PRICE/UNIT
Grid 35 rectangular flatlock tile for façade 	Size: 350 x 2350 mm Yield: 1.2 pcs / m ² with Acoustic film and protection film incl. 8 clips incl. stainless steel nails 2.8 x 25	Classic	304	19072	m ²	25	6	56.76
		Chroma	304	19074	m ²	25	6	58.97
		Vulcano	304	19075	m ²	25	6	76.01
		Pearl	304	19082	m ²	25	6	58.79
		Plus Matte	304	19083	m ²	25	6	51.70
		Champagne	304	19076	m ²	25	6	132.58
		Bronze	304	19077	m ²	25	6	132.58
		Rose-Gold	304	19078	m ²	25	6	132.58
		Black	304	19079	m ²	25	6	132.58
		Plasma	304	19080	m ²	25	6	156.32
Proton	304	19081	m ²	25	6	229.92		
Grid 56 rectangular flatlock tile for façade 	Size: 560 x 1150 mm Yield: 1.6 pcs / m ² with Acoustic film and protection film incl. 6 clips incl. stainless steel nails 2.8 x 25	Classic	304	19084	m ²	25	6	52.50
		Chroma	304	19086	m ²	25	6	54.64
		Vulcano	304	19087	m ²	25	6	71.15
		Pearl	304	19094	m ²	25	6	54.47
		Plus Matte	304	19095	m ²	25	6	47.60
		Champagne	304	19088	m ²	25	6	125.96
		Bronze	304	19089	m ²	25	6	125.96
		Rose-Gold	304	19090	m ²	25	6	125.96
		Black	304	19091	m ²	25	6	125.96
		Plasma	304	19092	m ²	25	6	148.96
Proton	304	19093	m ²	25	6	220.26		
Mansard diamond façade tile 	Size: 270 x 530 mm Yield: 12.5 pcs / m ² with Acoustic film and protection film incl. 2 clips incl. stainless steel nails 2.8 x 25	Classic	304	19096	m ²	50	6	116.16
		Chroma	304	19098	m ²	50	6	119.48
		Vulcano	304	19099	m ²	50	6	145.05
		Pearl	304	19106	m ²	50	6	119.21
		Plus Matte	304	19107	m ²	50	6	108.58
		Champagne	304	19100	m ²	50	6	229.92
		Bronze	304	19101	m ²	50	6	229.92
		Rose-Gold	304	19102	m ²	50	6	229.92
		Black	304	19103	m ²	50	6	229.92
		Plasma	304	19104	m ²	50	6	265.54
Proton	304	19105	m ²	50	6	375.95		
Metro rhomboid façade tile 	Size: 270 x 440 mm Yield: 8.4 pcs / m ² with Acoustic film and protection film incl. 2 clips incl. stainless steel nails 2.8 x 25	Classic	304	19108	m ²	50	6	76.67
		Chroma	304	19110	m ²	50	6	79.06
		Vulcano	304	19111	m ²	50	6	97.45
		Pearl	304	19118	m ²	50	6	78.86
		Plus Matte	304	19119	m ²	50	6	71.21
		Champagne	304	19112	m ²	50	6	158.50
		Bronze	304	19113	m ²	50	6	158.50
		Rose-Gold	304	19114	m ²	50	6	158.50
		Black	304	19115	m ²	50	6	158.50
		Plasma	304	19116	m ²	50	6	184.13
Proton	304	19117	m ²	50	6	263.56		

PRODUCT	DESCRIPTION	DESIGN	ALLOY	ART. NO	UNIT	QTY/PU	PRICE GROUP	PRICE/UNIT
Axis 56 designer façade panel The original since 2007 	Size: 560 x 2435 mm Yield: 0.7 pcs / m ² with Acoustic film and protection film incl. 13 clips incl. stainless steel nails 2.8 x 25	Classic	304	19120	m ²	10	6	57.54
		Chroma	304	19122	m ²	10	6	59.54
		Vulcano	304	19123	m ²	10	6	74.97
		Pearl	304	19130	m ²	10	6	59.38
		Plus Matte	304	19131	m ²	10	6	52.97
		Champagne	304	19124	m ²	10	6	126.16
		Bronze	304	19125	m ²	10	6	126.16
		Rose-Gold	304	19126	m ²	10	6	126.16
		Black	304	19127	m ²	10	6	126.16
		Plasma	304	19128	m ²	10	6	147.64
Proton	304	19129	m ²	10	6	214.24		
Axis 56s designer façade panel The original since 2007 	Size: 560 x 1215 mm Yield: 1.5 pcs / m ² with Acoustic film and protection film incl. 7 clips incl. stainless steel nails 2.8 x 25	Classic	304	19132	m ²	25	6	58.96
		Chroma	304	19134	m ²	25	6	60.97
		Vulcano	304	19135	m ²	25	6	76.42
		Pearl	304	19142	m ²	25	6	60.81
		Plus Matte	304	19143	m ²	25	6	54.38
		Champagne	304	19136	m ²	25	6	127.72
		Bronze	304	19137	m ²	25	6	127.72
		Rose-Gold	304	19138	m ²	25	6	127.72
		Black	304	19139	m ²	25	6	127.72
		Plasma	304	19140	m ²	25	6	149.25
Proton	304	19141	m ²	25	6	215.99		
Start cleat strip roof tiles made of Roofinox Classic pre-drilled 	Length: 2000 mm incl. stainless steel nails 2.8 x 30	Classic	304	19149	m	5	1	21.87
System clip Roofinox offset adapted to tile design 	system clip 20 short fold excl. stainless steel nails		304	19144	100 Pcs	200	3	13.12
	suitable for Style, Mansard, Metro, Grid 35		304	19417	100 Pcs	1000	3	13.12
	system clip 30 long fold excl. stainless steel nails		304	19418	100 Pcs	200	3	13.42
	suitable for Typic, Grid 56, Axis		304	19419	100 Pcs	1000	3	13.42
SF trapezoid profile for flatlock tiles - non-flammable subframing in metal 	painted galvanized steel Front: primer + Acoustic fleece Back: silver (RAL9006), 25 microns Depth: 30 mm Coverage width: 1035 mm bulk prices available noise cancelling through Acoustic fleece			19148	m ²	p.o.	6	38.89

p.o. = per order

Product Information

The following architectural profiles are available in fixed lengths or are made to order in project related lengths.

Minimum order quantity: 20 m²
 Surcharge for small quantities between 20 and 49 m²: EUR 450
 Surcharge for small quantities between 50 and 99 m²: EUR 300
 Flat rate for freight costs for architectural profiles: price on application

Goods cannot be returned.


PRODUCT	DESCRIPTION	DESIGN	ALLOY	ART. NO	UNIT	QTY/PU	PRICE GROUP	PRICE/UNIT
Zagros architectural façade profile Meander 	Depth: 30 mm Coverage width: 638 mm Length: 1000 - 6300 mm Standard length: 3000 mm with Acoustic film and protection film	Classic	304	20000	m ²	p.o.	6	87.51
		Chroma	304	20002	m ²	p.o.	6	92.70
		Vulcano	304	20003	m ²	p.o.	6	119.99
		Pearl	304	20009	m ²	p.o.	6	92.42
		Plus Matte	304	20010	m ²	p.o.	6	81.07
		Champagne	304	20004	m ²	p.o.	6	210.54
		Bronze	304	20005	m ²	p.o.	6	210.54
		Rose-Gold	304	20006	m ²	p.o.	6	210.54
		Black	304	20007	m ²	p.o.	6	210.54
		Plasma	304	20008	m ²	p.o.	6	248.54
Atlas architectural façade profile Meander 	Depth: 62 mm Coverage width: 610 mm Length: 1000 - 6300 mm Standard length: 3000 mm with Acoustic film and protection film	Classic	304	20011	m ²	p.o.	6	87.47
		Chroma	304	20013	m ²	p.o.	6	91.17
		Vulcano	304	20014	m ²	p.o.	6	119.71
		Pearl	304	20020	m ²	p.o.	6	90.88
		Plus Matte	304	20021	m ²	p.o.	6	79.01
		Champagne	304	20015	m ²	p.o.	6	214.42
		Bronze	304	20016	m ²	p.o.	6	214.42
		Rose-Gold	304	20017	m ²	p.o.	6	214.42
		Black	304	20018	m ²	p.o.	6	214.42
		Plasma	304	20019	m ²	p.o.	6	254.16
Ural architectural façade profile Prism 	Depth: 15 mm Coverage width: 864 mm Length: 1000 - 4200 mm Standard length: 3000 mm with Acoustic film and protection film	Classic	304	20022	m ²	p.o.	6	73.02
		Chroma	304	20024	m ²	p.o.	6	75.64
		Vulcano	304	20025	m ²	p.o.	6	95.78
		Pearl	304	20031	m ²	p.o.	6	75.43
		Plus Matte	304	20032	m ²	p.o.	6	67.05
		Champagne	304	20026	m ²	p.o.	6	162.65
		Bronze	304	20027	m ²	p.o.	6	162.65
		Rose-Gold	304	20028	m ²	p.o.	6	162.65
		Black	304	20029	m ²	p.o.	6	162.65
		Plasma	304	20030	m ²	p.o.	6	190.71

p.o. = per order

PRODUCT	DESCRIPTION	DESIGN	ALLOY	ART. NO	UNIT	QTY/PU	PRICE GROUP	PRICE/UNIT
Altai architectural façade profile Prism 	Depth: 60 mm Coverage width: 382 mm Length: 1000 - 3500 mm Standard length: 3000 mm with Acoustic film and protection film	Classic	304	20033	m ²	p.o.	6	82.87
		Chroma	304	20035	m ²	p.o.	6	85.83
		Vulcano	304	20036	m ²	p.o.	6	108.61
		Pearl	304	20042	m ²	p.o.	6	85.59
		Plus Matte	304	20043	m ²	p.o.	6	76.11
		Champagne	304	20037	m ²	p.o.	6	184.23
		Bronze	304	20038	m ²	p.o.	6	184.23
		Rose-Gold	304	20039	m ²	p.o.	6	184.23
		Black	304	20040	m ²	p.o.	6	184.23
		Plasma	304	20041	m ²	p.o.	6	215.96
Dolomit architectural façade profile Trapeze 	Depth: 25 mm Coverage width: 762 mm Length: 1000 - 6300 mm Standard length: 3000 mm with Acoustic film and protection film	Classic	304	20044	m ²	p.o.	6	79.59
		Chroma	304	20046	m ²	p.o.	6	82.55
		Vulcano	304	20047	m ²	p.o.	6	105.36
		Pearl	304	20053	m ²	p.o.	6	82.31
		Plus Matte	304	20054	m ²	p.o.	6	72.82
		Champagne	304	20048	m ²	p.o.	6	181.08
		Bronze	304	20049	m ²	p.o.	6	181.08
		Rose-Gold	304	20050	m ²	p.o.	6	181.08
		Black	304	20051	m ²	p.o.	6	181.08
		Plasma	304	20052	m ²	p.o.	6	212.85
Jura architectural façade profile Trapeze 	Depth: 40 mm Coverage width: 977 mm Length: 1000 - 6300 mm Standard length: 3000 mm with Acoustic film and protection film	Classic	304	20055	m ²	p.o.	6	54.84
		Chroma	304	20057	m ²	p.o.	6	57.15
		Vulcano	304	20058	m ²	p.o.	6	74.97
		Pearl	304	20064	m ²	p.o.	6	56.97
		Plus Matte	304	20065	m ²	p.o.	6	49.56
		Champagne	304	20059	m ²	p.o.	6	134.10
		Bronze	304	20060	m ²	p.o.	6	134.10
		Rose-Gold	304	20061	m ²	p.o.	6	134.10
		Black	304	20062	m ²	p.o.	6	134.10
		Plasma	304	20063	m ²	p.o.	6	158.92

p.o. = per order

PRODUCT	DESCRIPTION	DESIGN	ALLOY	ART. NO	UNIT	QTY/PU	PRICE GROUP	PRICE/UNIT
Matador M façade panel incl. Acoustic film 	Size: 886 x 320 mm Yield: 3.5 pcs / m ² incl.: 3 clips / tile and stainless steel nails: 2.8 x 30	Classic	304	18001	m ²	11	6	81.58
		Chroma	304	18004	m ²	11	6	84.47
		Vulcano	304	18010	m ²	11	6	106.81
Matador S façade panel incl. Acoustic film 	Size: 443 x 320 mm Yield: 7 pcs / m ² incl.: 2 clips / tile and stainless steel nails: 2.8 x 30	Classic	304	18000	m ²	11	6	116.69
		Chroma	304	18003	m ²	11	6	119.92
		Vulcano	304	18009	m ²	11	6	144.87
Matador L façade panel incl. Acoustic film 	Size: 1329 x 320 mm Yield: 2.4 pcs / m ² incl.: 4 clips / tile and stainless steel nails: 2.8 x 30	Classic	304	18002	m ²	7	6	72.40
		Chroma	304	18005	m ²	7	6	75.19
		Vulcano	304	18011	m ²	7	6	96.65
Matador repair panel M incl. Acoustic film 	Size: 886 x 320 mm without clips	Classic	304	18069	Pcs	5	1	30.10
		Chroma	304	18072	Pcs	5	1	29.98
		Vulcano	304	18078	Pcs	5	1	38.10
Matador repair panel S incl. Acoustic film 	Size: 443 x 320 mm without clips	Classic	304	18068	Pcs	5	1	29.79
		Chroma	304	18071	Pcs	5	1	29.73
		Vulcano	304	18077	Pcs	5	1	38.19
Matador repair panel L incl. Acoustic film 	Size: 1329 x 320 mm without clips	Classic	304	18070	Pcs	5	1	30.47
		Chroma	304	18073	Pcs	5	1	30.30
		Vulcano	304	18079	Pcs	5	1	38.40




PRODUCT	DESCRIPTION	DESIGN	ALLOY	ART. NO	UNIT	QTY/PU	PRICE GROUP	PRICE/UNIT
Start cleat strip Matador made of Roofinox Classic pre-drilled incl. marks for chalk line 	Length: 1330 mm incl. stainless steel nails 2.8 x 30	Classic	304	18012	Pcs	10	1	20.53
Matador clip Roofinox Classic 304 HFX stainless 	100 pcs / box excl. stainless steel nails	Classic	304	18456	100 Pcs	100	6	16.95
Support profile MSC 	incl. mounting clips & self drilling screws			18459	m	180	6	17.12
Roofinox stainless steel 304 loose nails 	2.8 x 25 mm loose nails in 2.5 kg box		304	19271	Kg	2.5	5	16.97
	2.8 x 30 mm loose nails in 2.5 kg box		304	19270	Kg	2.5	5	16.97
Roofinox stainless steel 304 coil nails welded to stainless steel wire 	2.8 x 25 mm box with 7.200 pcs suitable for standard nail-guns (e.g. Haubold, Bostitch, Tjep, Paslode, BeA)		304	19420	1000 Pcs	7200	5	22.36
	2.8 x 30 mm box with 7.200 pcs suitable for standard nail-guns (e.g. Haubold, Bostitch, Tjep, Paslode, BeA)		304	19421	1000 Pcs	7200	5	24.76
Blind rivets PolyGrip A2 	Dome head 4.8 x 10 Grip range 1.0 - 6.5 mm		304	19147	100 Pcs	100	6	38.44




Product Information




The following trim and flashing profiles can only be ordered in combination with Roofinox roof or façade products. They are manufactured in fixed lengths of 2 m, other lengths are possible on request.




Minimum order quantity per profile: 10 m (per profile) and assorted (total) at least 30 m
 Surcharge for small quantities between 30 and 59 m: EUR 139
 Surcharge for small quantities between 60 and 99 m: EUR 88
 Flat rate for freight costs for edge profiles: price on application

Goods cannot be returned.

PRODUCT	DESCRIPTION	DESIGN	ALLOY	ART. NO	UNIT	QTY/PU	PRICE GROUP	PRICE/UNIT
Cornice covering / drip flashing 	Length: 2000 mm with protection film	Classic	304	19150	m	5	1	12.85
		Chroma	304	19151	m	5	1	13.16
		Vulcano	304	19152	m	5	1	15.48
		Pearl	304	19158	m	5	1	13.13
		Plus Matte	304	19159	m	5	1	12.16
		Champagne	304	19153	m	5	1	23.21
		Bronze	304	19154	m	5	1	23.21
		Rose-Gold	304	19155	m	5	1	23.21
		Black	304	19156	m	5	1	23.21
		Plasma	304	19157	m	5	1	26.45
Cover profile 	Length: 2000 mm	Classic	304	19160	m	5	1	13.11
		Chroma	304	19161	m	5	1	13.38
		Vulcano	304	19162	m	5	1	15.44
		Pearl	304	19168	m	5	1	13.35
		Plus Matte	304	19169	m	5	1	12.49
		Champagne	304	19163	m	5	1	22.30
		Bronze	304	19164	m	5	1	22.30
		Rose-Gold	304	19165	m	5	1	22.30
		Black	304	19166	m	5	1	22.30
Plasma	304	19167	m	5	1	25.18		
Jamb flashing 	Length: 2000 mm with protection film	Classic	304	19170	m	5	1	19.05
		Chroma	304	19171	m	5	1	19.12
		Vulcano	304	19172	m	5	1	24.08
		Pearl	304	19178	m	5	1	19.07
		Plus Matte	304	19179	m	5	1	17.01
		Champagne	304	19173	m	5	1	40.54
		Bronze	304	19174	m	5	1	40.54
		Rose-Gold	304	19175	m	5	1	40.54
		Black	304	19176	m	5	1	40.54
Plasma	304	19177	m	5	1	47.45		

PRODUCT	DESCRIPTION	DESIGN	ALLOY	ART. NO	UNIT	QTY/PU	PRICE GROUP	PRICE/UNIT
Head flashing 	Length: 2000 mm with protection film	Classic	304	19180	m	5	1	18.48
		Chroma	304	19181	m	5	1	19.12
		Vulcano	304	19182	m	5	1	24.08
		Pearl	304	19188	m	5	1	19.07
		Plus Matte	304	19189	m	5	1	17.01
		Champagne	304	19183	m	5	1	40.54
		Bronze	304	19184	m	5	1	40.54
		Rose-Gold	304	19185	m	5	1	40.54
		Black	304	19186	m	5	1	40.54
		Plasma	304	19187	m	5	1	47.45
Internal corner 	Length: 2000 mm with protection film	Classic	304	19190	m	5	1	16.38
		Chroma	304	19191	m	5	1	16.87
		Vulcano	304	19192	m	5	1	20.59
		Pearl	304	19198	m	5	1	16.83
		Plus Matte	304	19199	m	5	1	15.28
		Champagne	304	19193	m	5	1	32.94
		Bronze	304	19194	m	5	1	32.94
		Rose-Gold	304	19195	m	5	1	32.94
		Black	304	19196	m	5	1	32.94
		Plasma	304	19197	m	5	1	38.13
External corner 	Length: 2000 mm with protection film various external corner profiles available for diverse design options please inquire	Classic	304	19200	m	5	1	13.19
		Chroma	304	19201	m	5	1	13.46
		Vulcano	304	19202	m	5	1	15.58
		Pearl	304	19208	m	5	1	13.44
		Plus Matte	304	19209	m	5	1	12.56
		Champagne	304	19203	m	5	1	22.63
		Bronze	304	19204	m	5	1	22.63
		Rose-Gold	304	19205	m	5	1	22.63
		Black	304	19206	m	5	1	22.63
		Plasma	304	19207	m	5	1	25.59

PRODUCT	DESCRIPTION	DESIGN	ALLOY	ART. NO	UNIT	QTY/PU	PRICE GROUP	PRICE/UNIT
Bottom edge flashing 	Length: 2000 mm with protection film	Classic	304	19210	m	5	1	13.30
		Chroma	304	19211	m	5	1	13.70
		Vulcano	304	19212	m	5	1	16.81
		Pearl	304	19218	m	5	1	13.67
		Plus Matte	304	19219	m	5	1	12.38
		Champagne	304	19213	m	5	1	27.13
		Bronze	304	19214	m	5	1	27.13
		Rose-Gold	304	19215	m	5	1	27.13
		Black	304	19216	m	5	1	27.13
		Plasma	304	19217	m	5	1	31.46
Top edge flashing 	Length: 2000 mm with protection film	Classic	304	19220	m	5	1	14.18
		Chroma	304	19221	m	5	1	14.57
		Vulcano	304	19222	m	5	1	17.54
		Pearl	304	19228	m	5	1	14.54
		Plus Matte	304	19229	m	5	1	13.30
		Champagne	304	19223	m	5	1	27.40
		Bronze	304	19224	m	5	1	27.40
		Rose-Gold	304	19225	m	5	1	27.40
		Black	304	19226	m	5	1	27.40
		Plasma	304	19227	m	5	1	31.54
Side flashing 	Length: 2000 mm with protection film	Classic	304	19230	m	5	1	13.31
		Chroma	304	19231	m	5	1	13.63
		Vulcano	304	19232	m	5	1	16.12
		Pearl	304	19238	m	5	1	13.61
		Plus Matte	304	19239	m	5	1	12.58
		Champagne	304	19233	m	5	1	24.35
		Bronze	304	19234	m	5	1	24.35
		Rose-Gold	304	19235	m	5	1	24.35
		Black	304	19236	m	5	1	24.35
		Plasma	304	19237	m	5	1	27.81

PRODUCT	DESCRIPTION	DESIGN	ALLOY	ART. NO	UNIT	QTY/PU	PRICE GROUP	PRICE/UNIT
Bottom apron perforated 	Length: 2000 mm with protection film	Classic	304	19240	m	5	1	15.50
		Chroma	304	19241	m	5	1	15.81
		Vulcano	304	19242	m	5	1	18.13
		Pearl	304	19248	m	5	1	15.78
		Plus Matte	304	19249	m	5	1	14.81
		Champagne	304	19243	m	5	1	25.85
		Bronze	304	19244	m	5	1	25.85
		Rose-Gold	304	19245	m	5	1	25.85
		Black	304	19246	m	5	1	25.85
		Plasma	304	19247	m	5	1	29.09
Cover profile 2-piece 	Length: 2000 mm with protection film	Classic	304	19250	m	5	1	28.46
		Chroma	304	19251	m	5	1	29.21
		Vulcano	304	19252	m	5	1	34.97
		Pearl	304	19258	m	5	1	29.15
		Plus Matte	304	19259	m	5	1	26.75
		Champagne	304	19253	m	5	1	54.10
		Bronze	304	19254	m	5	1	54.10
		Rose-Gold	304	19255	m	5	1	54.10
		Black	304	19256	m	5	1	54.10
		Plasma	304	19257	m	5	1	62.13
Coping / Capping 	Length: 2000 mm with protection film	Classic	304	19260	m	5	1	21.07
		Chroma	304	19261	m	5	1	21.88
		Vulcano	304	19262	m	5	1	28.13
		Pearl	304	19268	m	5	1	21.81
		Plus Matte	304	19269	m	5	1	19.21
		Champagne	304	19263	m	5	1	48.87
		Bronze	304	19264	m	5	1	48.87
		Rose-Gold	304	19265	m	5	1	48.87
		Black	304	19266	m	5	1	48.87
		Plasma	304	19267	m	5	1	57.58

Roofinox roof drainage

PRODUCT	DIMENSION	DESIGN	ART. NO	UNIT	QTY/PU	PRICE GROUP	PRICE/UNIT
Gutter 0.5 mm 304 half-round 	250 / 5 m	Classic	12410	m	1000	4	11.81
	250 / 6 m	Classic	12101	m	1000	4	11.81
	280 / 5 m	Classic	12140	m	1000	4	13.00
	333 / 3 m	Classic	15544	m	1000	4	15.29
	333 / 4 m	Classic	15542	m	1000	4	15.29
	333 / 5 m	Classic	12139	m	1000	4	15.29
	333 / 6 m	Classic	12104	m	1000	4	15.29
	400 / 5 m	Classic	12182	m	1000	4	18.92
Gutter bracket wrapped half-round gutter hanger Roofinox wrapped 	250 / 25 x 6 mm / long	Classic	15367	Pcs	1000	4	5.21
	280 / 25 x 6 mm / short	Classic	15404	Pcs	1000	4	4.83
	280 / 25 x 6 mm / long	Classic	15141	Pcs	1000	4	4.83
	333 / 25 x 6 mm / short	Classic	15143	Pcs	1000	4	4.83
	333 / 25 x 6 mm / long	Classic	15139	Pcs	1000	4	4.83
	400 / 25 x 8 mm / long	Classic	15142	Pcs	1000	4	9.13
Gutter bracket 304 half-round gutter hanger solid stainless steel CrNi 	250 / 27 x 4 mm	matte	11753	Pcs	500	4	7.67
	330 / 30 x 4 mm	matte	10371	Pcs	500	4	7.67
Fascia bracket 304 half-round gutter hanger solid stainless steel CrNi 	250	2B	16678	Pcs	500	4	6.85
	333	2B	16679	Pcs	500	4	6.85
End Cap 304 half-round universal 	250	Classic	15166	Pcs	50	4	2.40
	280	Classic	15167	Pcs	50	4	2.02
	333	Classic	15137	Pcs	50	4	2.19
	400	Classic	15168	Pcs	50	4	3.06
End Cap spherical 304 half-round 	250	Classic	15324	Pcs	25	4	34.54
	333	Classic	15323	Pcs	25	4	34.54

QTY/PU = Quantity / packaging unit

■ Half-round 304

■ Square 304

■ Half-round 316L


PRODUCT	DIMENSION	DESIGN	ART. NO	UNIT	QTY/PU	PRICE GROUP	PRICE/UNIT
Miter 304 half-round deepdrawn gutter corner 	250 / outside	Classic	15227	Pcs	50	4	34.50
	280 / outside	Classic	15160	Pcs	50	4	34.92
	333 / outside	Classic	15162	Pcs	50	4	36.85
	400 / outside	Classic	15164	Pcs	50	4	56.27
	250 / inside	Classic	15228	Pcs	50	4	34.50
	280 / inside	Classic	15161	Pcs	50	4	34.92
	333 / inside	Classic	15163	Pcs	50	4	36.85
	400 / inside	Classic	15165	Pcs	50	4	56.27
Miter 304 half-round soldered gutter corner 	333 / outside	Classic	15512	Pcs	50	4	45.75
	333 / inside	Classic	15513	Pcs	50	4	45.75
Gutter expansion joint 304 half-round double-sided vulcanised w cover plate 	250	Classic	12214	Pcs	5	2	20.51
	280	Classic	12215	Pcs	5	2	20.79
	333	Classic	12216	Pcs	5	2	22.91
	400	Classic	12217	Pcs	5	2	29.63
Drop outlet 304 half-round 	250 / 75	Classic	16657	Pcs	500	4	13.48
	250 / 80	Classic	12102	Pcs	500	4	12.33
	280 / 80	Classic	12145	Pcs	500	4	12.52
	280 / 100	Classic	15247	Pcs	500	4	18.87
	333 / 75	Classic	16658	Pcs	500	4	19.46
	333 / 80	Classic	12144	Pcs	500	4	19.46
	333 / 100	Classic	12106	Pcs	500	4	13.54
	333 / 120	Classic	12183	Pcs	500	4	25.23
Cup outlet 304 half-round 	80	Classic	15405	Pcs	500	4	5.38
	100	Classic	15406	Pcs	500	4	5.58
Offset outlet 304 half-round 	280 / 80	Classic	16682	Pcs	500	4	10.37
	333 / 80	Classic	16683	Pcs	500	4	10.37

■ Half-round 304
 ■ Square 304
 ■ Half-round 316L

PRODUCT	DIMENSION	DESIGN	ART. NO	UNIT	QTY/PU	PRICE GROUP	PRICE/UNIT
Elbow 72° 304 seamless weld (not crimped) 	60	Classic	15151	Pcs	1000	4	13.17
	75	Classic	16654	Pcs	600	4	12.35
	80	Classic	15152	Pcs	600	4	12.13
	100	Classic	15138	Pcs	400	4	13.52
	120	Classic	15153	Pcs	400	4	22.17
Elbow 85° 304 seamless weld (not crimped) 	75	Classic	16655	Pcs	200	4	15.04
	80	Classic	15154	Pcs	600	4	15.10
	100	Classic	15155	Pcs	400	4	16.67
Elbow 40° 304 seamless weld (not crimped) 	75	Classic	16656	Pcs	200	4	12.65
	80	Classic	15156	Pcs	800	4	12.33
	100	Classic	15157	Pcs	600	4	14.46
Elbow 87° 304 2-piece soldered 	60	Classic	12535	Pcs	250	4	37.56
	75	Classic	16660	Pcs	250	4	51.88
	80	Classic	12256	Pcs	250	4	37.56
	100	Classic	12257	Pcs	250	4	37.56
	120	Classic	12263	Pcs	250	4	62.65
Elbow 70° 304 2-piece soldered 	75	Classic	16661	Pcs	250	4	52.42
	100	Classic	16687	Pcs	250	4	52.42
Elbow 45° 304 2-piece soldered 	75	Classic	16689	Pcs	250	4	52.42
	100	Classic	16690	Pcs	250	4	52.42
Shoe 304 50 - 70 mm offset 2-piece soldered 	75	Classic	16691	Pcs	200	4	83.98
	100	Classic	16692	Pcs	200	4	88.37

■ Half-round 304
 ■ Square 304
 ■ Half-round 316L

PRODUCT	DIMENSION	DESIGN	ART. NO	UNIT	QTY/PU	PRICE GROUP	PRICE/UNIT
Downspout 0.5 mm 304 round seamless weld 	60 / 2 m	Classic	15206	m	480	4	13.48
	75 / 3 m	Classic	16693	m	465	4	13.48
	80 / 2 m	Classic	15226	m	450	4	13.71
	80 / 3 m	Classic	12114	m	450	4	13.71
	80 / 4 m	Classic	15190	m	450	4	13.71
	100 / 2 m	Classic	15140	m	300	4	15.63
	100 / 3 m	Classic	12109	m	300	4	15.63
	100 / 4 m	Classic	15191	m	300	4	15.63
	120 / 2 m	Classic	15256	m	180	4	18.15
	120 / 3 m	Classic	12115	m	180	4	18.15
Downspout bracket 304 round, solid stainless steel CrNi with M10 screw socket 	60	2B	13889	Pcs	25	4	5.22
	80	2B	13882	Pcs	25	4	5.26
	100	2B	13883	Pcs	25	4	5.38
	120	2B	15194	Pcs	25	4	7.67
Threaded pin M10 galvanised with wood thread 	100		13037	Pcs	100	4	0.75
	200		12516	Pcs	100	4	1.17
	300		12518	Pcs	100	4	2.56
Ground pipe cover 304 	80 / 116	Classic	15176	Pcs	250	4	5.79
	100 / 116	Classic	15177	Pcs	250	4	5.87
	120 / 150	Classic	15386	Pcs	250	4	11.36
Leader head (Klassik) 304 (Hopper) WxLxH: 220 x 220 x 300 mm star and 3-sided bead 	75	Classic	16697	Pcs	10	4	125.58
	80	Classic	12211	Pcs	10	4	125.58
	100	Classic	12171	Pcs	10	4	125.58
	120	Classic	13100	Pcs	10	4	162.12
Leader head (Exzentrik) 304 (Hopper) WxLxH: 220 x 220 x 300 mm star and 3-sided bead with off-centred outlet 	80	Classic	16673	Pcs	10	4	135.19
	100	Classic	16674	Pcs	10	4	135.19

PRODUCT	DIMENSION	DESIGN	ART. NO	UNIT	QTY/PU	PRICE GROUP	PRICE/UNIT
Leader head (Exzentrik Design) 304 (Hopper) WxLxH: 220 x 220 x 300 mm 3-sided bead with off-centred outlet 	75	Classic	16698	Pcs	10	4	148.65
	100	Classic	16699	Pcs	10	4	154.42
Leader head (Round) 304 (Hopper) WxLxH: 180 x 170 x 190 mm half-round 	75	Classic	16700	Pcs	10	4	178.85
	100	Classic	16701	Pcs	10	4	182.69
Leader head (Kubik) 304 (Hopper) WxLxH: 235 x 150 x 240 mm 	75	Classic	16708	Pcs	10	4	132.69
	80	Classic	16709	Pcs	10	4	132.69
	100	Classic	16710	Pcs	10	4	136.54
Leader head (Kubik) 304 (Hopper) WxLxH: 235 x 150 x 240 mm with vulcanised back panel for pipe diameter 60 - 120 	75	Classic	16711	Pcs	10	4	211.54
	80	Classic	16712	Pcs	10	4	211.54
	100	Classic	16713	Pcs	10	4	215.38
Expansion joint 304 single open-end model 	1000 mm long / 390 mm wide	Classic	12209	Pcs	1	2	54.03
Expansion joint 304 single open-end model with cover 	1000 mm long / 390 mm wide	Classic	16715	Pcs	1	2	58.51

■ Half-round 304
■ Square 304
■ Half-round 316L

PRODUCT	DIMENSION	DESIGN	ART. NO	UNIT	QTY/PU	PRICE GROUP	PRICE/UNIT
Expansion joint 304 double open-end model 	3000 mm long / 390 mm wide	Classic	15511	m	1	2	49.25
	6000 mm long / 390 mm wide	Classic	12213	m	1	2	43.28
Branch 72° 304 (branch connector) 	75 / 75	Classic	16702	Pcs	10	4	75.58
	80 / 80	Classic	15230	Pcs	10	4	64.04
	100 / 75	Classic	16703	Pcs	10	4	75.58
	100 / 80	Classic	15543	Pcs	10	4	64.04
	100 / 100	Classic	15192	Pcs	10	4	64.04
	120 / 80	Classic	16704	Pcs	10	4	102.79
	120 / 120	Classic	15387	Pcs	10	4	102.79
Rainwater diverter kit 304 1" hose connector incl. flexible hose (32 mm) and plastic connector 	80	Classic	13043	Pcs	1	4	66.73
	100	Classic	13044	Pcs	1	4	67.12
	120	Classic	16705	Pcs	1	4	89.42
Adjustable rainwater diverter 304 with handle 	75	Classic	16706	Pcs	10	4	62.50
	80	Classic	12123	Pcs	10	4	37.40
	100	Classic	12122	Pcs	10	4	37.40
	120	Classic	15171	Pcs	10	4	95.94
Adjustable rainwater diverter with leaf trap and handle 304 	80	Classic	15211	Pcs	10	4	52.50
	100	Classic	15212	Pcs	10	4	52.50
Side funnel 304 (branch) 	80	Classic	16651	Pcs	10	4	16.90
	100	Classic	16652	Pcs	10	4	19.17
Wire strainer 304 solid stainless steel CrNi (balloon grating / leaf guard) 	100		11883	Pcs	25	4	5.21

PRODUCT	DIMENSION	DESIGN	ART. NO	UNIT	QTY/PU	PRICE GROUP	PRICE/UNIT
Gutter 0.5 mm 304 square (box) with round bead 	250 / 5 m	Classic	12633	m	1000	4	12.14
	333 / 5 m	Classic	13433	m	1000	4	15.58
	400 / 5 m	Classic	13434	m	1000	4	19.15
Gutter bracket wrapped square gutter hanger Roofinox wrapped 	250 / 25 x 6 mm / long	Classic	15577	Pcs	1000	4	7.29
	333 / 25 x 6 mm / long	Classic	15576	Pcs	1000	4	7.67
	400 / 25 x 8 mm / long	Classic	15398	Pcs	1000	4	11.44
Gutter bracket 304 square gutter hanger solid stainless steel 304 CrNi 	250 / 27 x 4 mm	matte	15580	Pcs	500	4	8.25
	333 / 30 x 4 mm	matte	15581	Pcs	500	4	8.63
	400 / 30 x 4 mm	matte	15582	Pcs	500	4	11.73
End Cap 304 square universal 	250	Classic	15380	Pcs	50	4	3.87
	333	Classic	15381	Pcs	50	4	3.87
	400	Classic	15397	Pcs	50	4	4.75
Miter 304 square soldered gutter corner 	250 / outside	Classic	15263	Pcs	50	4	71.54
	333 / outside	Classic	15265	Pcs	50	4	76.35
	400 / outside	Classic	15402	Pcs	50	4	99.33
	250 / inside	Classic	15264	Pcs	50	4	71.54
	333 / inside	Classic	15266	Pcs	50	4	76.35
	400 / inside	Classic	15403	Pcs	50	4	99.33
Gutter expansion joint 304 square double-sided vulcanised w cover plate 	250	Classic	15399	Pcs	5	2	22.84
	333	Classic	15400	Pcs	5	2	26.12
	400	Classic	15401	Pcs	5	2	29.78
Drop outlet 304 square to round 	250 / 80	Classic	15395	Pcs	500	4	41.35
	333 / 100	Classic	15262	Pcs	500	4	49.04
	400 / 120	Classic	15396	Pcs	500	4	71.92

■ Half-round 304
■ Square 304
■ Half-round 316L

PRODUCT	DIMENSION	DESIGN	ART. NO	UNIT	QTY/PU	PRICE GROUP	PRICE/UNIT
Cup outlet 304 flat for square gutter 	80	Classic	15407	Pcs	500	4	7.33
	100	Classic	15408	Pcs	500	4	7.52
Downspout 0.5 mm 304 square tapered pipe, seamed 	75 / 2 m	Classic	15585	m	400	4	22.57
	80 / 2 m	Classic	15409	m	400	4	22.57
	100 / 2 m	Classic	15410	m	300	4	24.38
	120 / 2 m	Classic	15411	m	180	4	27.16
Downspout bracket 304 square, solid stainless steel with M10 screw socket 	80 / 80	2B	15493	Pcs	25	4	11.38
	100 / 100	2B	15494	Pcs	25	4	11.38
Gutter 0.4 mm 316L half-round 	280 / 3 m	Classic	14929	m	1000	4	20.21
	333 / 3 m	Classic	14930	m	1000	4	23.42
Gutter bracket 316L half-round gutter hanger solid stainless steel CrNiMo 	280 / 30 x 4 mm	matte	15500	Pcs	1000	4	13.65
	333 / 30 x 4 mm	matte	15501	Pcs	1000	4	16.14
Fascia bracket 316L half-round gutter hanger solid stainless steel CrNiMo 	250	2B	15560	Pcs	500	4	8.75
	333	2B	15561	Pcs	500	4	9.13
End Cap 316L half-round universal 	280	Classic	15520	Pcs	50	4	3.73
	333	Classic	15521	Pcs	50	4	4.14

PRODUCT	DIMENSION	DESIGN	ART. NO	UNIT	QTY/PU	PRICE GROUP	PRICE/UNIT
Miter 316L half-round deepdrawn gutter corner 	280 / outside	Classic	15526	Pcs	50	4	44.39
	333 / outside	Classic	15525	Pcs	50	4	46.10
	280 / inside	Classic	15527	Pcs	50	4	44.39
	333 / inside	Classic	15528	Pcs	50	4	46.10
Gutter expansion joint 316L half-round double-sided vulcanised w cover plate 	280	Classic	15529	Pcs	5	4	35.77
	333	Classic	15530	Pcs	5	4	39.08
Drop outlet 316L half-round 	280 / 80	Classic	15523	Pcs	500	4	18.13
	333 / 100	Classic	15524	Pcs	500	4	19.21
Cup outlet 316L half-round 	100	Classic	16670	Pcs	500	4	7.60
Elbow 72° 316L seamless weld (not crimped) 	80	Classic	15483	Pcs	600	4	14.71
	100	Classic	15484	Pcs	400	4	18.06
Elbow 85° 316L seamless weld (not crimped) 	80	Classic	15486	Pcs	600	4	15.27
	100	Classic	15487	Pcs	400	4	18.63
Elbow 40° 316L seamless weld (not crimped) 	80	Classic	15488	Pcs	800	4	14.13
	100	Classic	15489	Pcs	600	4	17.48

■ Half-round 304
 ■ Square 304
 ■ Half-round 316L

PRODUCT	DIMENSION	DESIGN	ART. NO	UNIT	QTY/PU	PRICE GROUP	PRICE/UNIT
Downspout 0.4 mm 316L round seamless weld 	80 / 2 m	Classic	14927	m	450	4	20.04
	100 / 2 m	Classic	14928	m	300	4	23.94
Downspout bracket 316L solid stainless steel CrNiMo round with M10 screw socket 	80	2B	15496	Pcs	25	4	12.93
	100	2B	15497	Pcs	25	4	13.52
Threaded pin M10 316L solid stainless steel CrNiMo with wood thread 	100		15498	Pcs	100	4	3.31
	200		15499	Pcs	100	4	6.77
	300		15502	Pcs	100	4	8.83
Expansion joint 316L double open-end model 	3000 mm long / 390 mm wide	Classic	15545	m	1	2	62.66
	6000 mm long / 390 mm wide	Classic	15537	m	1	2	62.66
Cup outlet 316L flat for square gutter 	100	Classic	16671	Pcs	500	4	8.24

■ Half-round 304
 ■ Square 304
 ■ Half-round 316L

PRODUCT	DESCRIPTION	ART. NO	UNIT	QTY/PU	PRICE GROUP	PRICE/UNIT
Perforated coil 1000 x 0.5 mm (coil)	Roofinox Classic 304 Hole 5 Pitch 7 Internal diameter coil: Weight: approx. 2.09 kg/m ²	19422	m	20		
Perforated sheet 1000 x 2000 x 0.5 mm (sheet)	Open area: approx. 47%	19423	Pcs	25		
 Ventilation strip 250 x 0.5 mm	Roofinox Classic 304 Partly perforated strip 85mm wide Square hole 6 pitch 8 Open area: approx. 56% (in perforated area) Internal diameter coil: Dimension: 140 / 85 / 25 mm	19424	m	40		

POA = Price on application

CLASSIC | Coils and sheets



CLASSIC | Coils

ALLOY		304					316L				
Metal thickness		0.4 mm	0.5 mm	0.6 mm	0.8 mm	1.2 mm	0.4 mm	0.5 mm	0.6 mm	0.8 mm	1.2 mm
Width	Weight										
200 mm	50 Kg		15313								
250 mm	50 Kg		15307								
280 mm	100 Kg		12574								
330 mm	100 Kg		•								
400 mm	100 Kg		15311								
500 mm	100 Kg	•	15006				•	15831			
	500 Kg	15798	15112				•	15832			
	1000 Kg	•	15007				•	15833			
600 mm	100 Kg	•	15830								
	500 Kg	15818									
	1000 Kg	•									
625 mm	100 Kg		15012	•	15233		15844	15503	•		
	500 Kg		15105	•	15234		15848	15504	•		
	1000 Kg		15013	15812	15235		12985	15506	•		
800 mm	100 Kg		15018								
	500 Kg		15213								
	1000 Kg		15019								
1000 mm	100 Kg	•	15106				15842	15507			
	500 Kg	•	15025				15854	15508			
	1000 Kg	15795	15026				14925	15509			
1200 mm	100 Kg	•									
	500 Kg	15802									
	1000 Kg	15801									
1250 mm	100 Kg		15030	15244	15198	•	•	15121	•		
	500 Kg		15107	15245	15199	•	15815	15122	•		
	1000 Kg		15031	15246	15200	•	•	15123	16554		

CLASSIC | Sheets

ALLOY		304					316L				
Metal thickness		0.4 mm	0.5 mm	0.6 mm	0.8 mm	1.2 mm	0.4 mm	0.5 mm	0.6 mm	0.8 mm	1.2 mm
Width	Weight										
1000 x 2000 mm	500 Kg	15796	15111	•	15136		•	•			
1000 x 3000 mm	500 Kg	•	•	•	•		•	•			
1200 x 3000 mm	500 Kg	•						•			
1250 x 2500 mm	500 Kg		15775	•	15797	•	•	•	•		
1250 x 3000 mm	500 Kg		15788	•	15805	•	•	•	•		

- Upon request

All designs can also be offered as strips.

Roofinox Classic is also available with protection film. With film the article number changes. Please take this into account when placing your order.

SPECTRA Vulcano / Sedona | Coils and sheets



SPECTRA Vulcano | Coils

ALLOY		304					316L				
Metal thickness		0.4 mm	0.5 mm	0.6 mm	0.8 mm	1.2 mm	0.4 mm	0.5 mm	0.6 mm	0.8 mm	1.2 mm
Width	Weight										
500 mm	100 Kg		•								
	500 Kg		15729								
	1000 Kg		•								
625 mm	100 Kg		15707					•			
	500 Kg		15712					•			
	1000 Kg		15708					15696			
1000 mm	100 Kg		15700								
	500 Kg		15718								
	1000 Kg		15697								
1250 mm	100 Kg		15709		•			•			
	500 Kg		15711		•			•			
	1000 Kg		15710		•			•			

SPECTRA Vulcano | Sheets

ALLOY		304					316L				
Metal thickness		0.4 mm	0.5 mm	0.6 mm	0.8 mm	1.2 mm	0.4 mm	0.5 mm	0.6 mm	0.8 mm	1.2 mm
Width	Weight										
1000 x 2000 mm	500 Kg		•				•				
1000 x 3000 mm	500 Kg		•				•				
1250 x 2500 mm	500 Kg		•		•		•				
1250 x 3000 mm	500 Kg		•		•		•				

SPECTRA Sedona | Coils

ALLOY		304					316L				
Metal thickness		0.4 mm	0.5 mm	0.6 mm	0.8 mm	1.2 mm	0.4 mm	0.5 mm	0.6 mm	0.8 mm	1.2 mm
Width	Weight										
625 mm	100 Kg		•								
	500 Kg		•								
	1000 Kg		•								
1250 mm	100 Kg		•								
	500 Kg		•								
	1000 Kg		•								


- Upon request

All designs can also be offered as strips.

Roofinox Spectra is only available with protection film.

0.4 / 0.5 / 0.6 mm thickness is also available in Spectra Plus (rib-embossed).

TIN MATTE (terne coated) | Coils and sheets



TIN MATTE (terne coated) | Coils

ALLOY		439	304					316L				
Metal thickness		0.5 mm	0.4 mm	0.5 mm	0.6 mm	0.8 mm	1.2 mm	0.4 mm	0.5 mm	0.6 mm	0.8 mm	1.2 mm
Width	Weight											
200 mm	50 Kg	•										
250 mm	50 Kg	•										
280 mm	100 Kg	•										
330 mm	100 Kg	15900										
400 mm	100 Kg	15879										
500 mm	100 Kg	15428		•				•	•	•		
	500 Kg	15429		•				15923	•	•		
	1000 Kg	15430		•				15997	•	•		
625 mm	100 Kg	15432										
	500 Kg	15433										
	1000 Kg	15434										
1000 mm	100 Kg	15436		•				15868	•	•		
	500 Kg	15437			15452			15882	16553	•		
	1000 Kg	15438			15453			15881	•	•		

TIN MATTE (terne coated) | Sheets

ALLOY		439	304					316L				
Metal thickness		0.5 mm	0.4 mm	0.5 mm	0.6 mm	0.8 mm	1.2 mm	0.4 mm	0.5 mm	0.6 mm	0.8 mm	1.2 mm
Width	Weight											
1000 x 2000 mm	500 Kg	15840		•			•	•	•			
1000 x 3000 mm	500 Kg	•		•			•	•	•			

- Upon request

All designs can also be offered as strips.

Roofinox tin matte is also available with protection film. With film the article number changes. Please take this into account when placing your order.

CHROMA | Coils and sheets



CHROMA | Coils

ALLOY		304					316L				
Metal thickness		0.4 mm	0.5 mm	0.6 mm	0.8 mm	1.2 mm	0.4 mm	0.5 mm	0.6 mm	0.8 mm	1.2 mm
Width	Weight										
625 mm	100 Kg		15575								
	500 Kg		•								
	1000 Kg		•								
1250 mm	100 Kg		15680								
	500 Kg		15679								
	1000 Kg		15677								

CHROMA | Sheets

ALLOY		304					316L				
Metal thickness		0.4 mm	0.5 mm	0.6 mm	0.8 mm	1.2 mm	0.4 mm	0.5 mm	0.6 mm	0.8 mm	1.2 mm
Width	Weight										
1250 x 2500 mm	500 Kg		15976								
1250 x 3000 mm	500 Kg		15972								

- Upon request

All designs can also be offered as strips.

Roofinox Chroma is only available with protection film.

PLUS MATTE | Coils and sheets



PLUS MATTE | Coils

ALLOY		304					316L				
Metal thickness		0.4 mm	0.5 mm	0.6 mm	0.8 mm	1.2 mm	0.4 mm	0.5 mm	0.6 mm	0.8 mm	1.2 mm
Width	Weight										
500 mm	100 Kg	•	15950				•	•			
	500 Kg	15962	•				•	•			
	1000 Kg	•	•				•	•			
600 mm	100 Kg	15943									
	500 Kg	•									
	1000 Kg	15932									
625 mm	100 Kg		•					15960			
	500 Kg		15938					•			
	1000 Kg		•					•			
1000 mm	100 Kg	15941	•				15931				
	500 Kg	15948	•				•	15952			
	1000 Kg	15945	•				•	•			
1200 mm	100 Kg	•									
	500 Kg	•					•				
	1000 Kg	•									
1250 mm	100 Kg		15964					•			
	500 Kg		•					•			
	1000 Kg		•					15961			

PLUS MATTE | Sheets


ALLOY		304					316L				
Metal thickness		0.4 mm	0.5 mm	0.6 mm	0.8 mm	1.2 mm	0.4 mm	0.5 mm	0.6 mm	0.8 mm	1.2 mm
Width	Weight										
1000 x 2000 mm	500 Kg	14998					•				
1000 x 3000 mm	500 Kg	•					•				
1200 x 3000 mm	500 Kg										
1250 x 2500 mm	500 Kg										
1250 x 3000 mm	500 Kg										

- Upon request

All designs can also be offered as strips.

Roofinox Plus matte is also available with protection film. With film the article number changes. Please take this into account when placing your order.

PEARL | Coils and sheets



PEARL | Coils

ALLOY		304					316L				
Metal thickness		0.4 mm	0.5 mm	0.6 mm	0.8 mm	1.2 mm	0.4 mm	0.5 mm	0.6 mm	0.8 mm	1.2 mm
Width	Weight										
200 mm	50 Kg		15054								
250 mm	50 Kg		15219								
280 mm	100 Kg		•								
330 mm	100 Kg		15223								
400 mm	100 Kg		15055								
400 mm	100 Kg		15055								
	500 Kg		15222								
	1000 Kg		14721								
500 mm	100 Kg		15056								
	500 Kg		15215								
	1000 Kg		15057								
625 mm	100 Kg		15062					•			
	500 Kg		15119					•			
	1000 Kg		15063					•			
750 mm	100 Kg		15216								
	500 Kg		15217								
	1000 Kg		14874								
1000 mm	100 Kg		15068								
	500 Kg		15116								
	1000 Kg		15069								
1250 mm	100 Kg		15074					•			
	500 Kg		15118					•			
	1000 Kg		15075					•			

PEARL | Sheets

ALLOY		304				316L			
Metal thickness		0.4 mm	0.5 mm	0.6 mm	0.8 mm	0.4 mm	0.5 mm	0.6 mm	0.8 mm
Width	Weight								
1000 x 2000 mm	500 Kg		14724						
1000 x 3000 mm	500 Kg		•						
1200 x 3000 mm	500 Kg		•						
1250 x 2500 mm	500 Kg		14992			•			
1250 x 3000 mm	500 Kg		15972			•			

- Upon request

All designs can also be offered as strips.

Roofinox Pearl is also available with protection film. With film the article number changes. Please take this into account when placing your order.

DURA | Sheets



DURA | Sheets

ALLOY

304

316L

Metal thickness			0.4 mm	0.5 mm	0.6 mm	0.8 mm	1.2 mm	0.4 mm	0.5 mm	0.6 mm	0.8 mm	1.2 mm
Width	Weight	Design										
625 x 3000 mm	500 Kg	Champagne		17005	•				•	•		
		Bronze		17000	•				•	•		
		Rose-Gold		17010	•				•	•		
		Black		17015	•				•	•		
625 x 6000 mm	500 Kg	Champagne		17006	•				•	•		
		Bronze		17001	•				•	•		
		Rose-Gold		17011	•				•	•		
		Black		17016	•				•	•		
1000 x 2000 mm	500 Kg	Champagne		17002					•			
		Bronze		17007					•			
		Rose-Gold		17013					•			
		Black		17017					•			
1000 x 3000 mm	500 Kg	Champagne		•					•			
		Bronze		•					•			
		Rose-Gold		•					•			
		Black		•					•			
1250 x 3000 mm	500 Kg	Champagne		•	•	17009	•		•	•		
		Bronze		•	•	17004	•		•	•		
		Rose-Gold		•	•	17014	•		•	•		
		Black		•	•	17019	•		•	•		

- Upon request

Roofinox Dura is only available with protection film.

PLASMA | Sheets



PLASMA | Sheets

ALLOY		304					316L				
Metal thickness		0.4 mm	0.5 mm	0.6 mm	0.8 mm	1.2 mm	0.4 mm	0.5 mm	0.6 mm	0.8 mm	1.2 mm
Width	Weight										
625 x 3000 mm	500 Kg		•	•		•		•	•		
625 x 6000 mm	500 Kg		•	•		•		•	•		
1000 x 2000 mm	500 Kg		•	•	•	•		•	•		
1000 x 3000 mm	500 Kg		•	•	•	•		•	•		
1250 x 3000 mm	500 Kg		•	•	•	•		•	•		

PROTON | Sheets



PROTON | Sheets

ALLOY		304					316L				
Metal thickness		0.4 mm	0.5 mm	0.6 mm	0.8 mm	1.2 mm	0.4 mm	0.5 mm	0.6 mm	0.8 mm	1.2 mm
Width	Weight										
625 x 3000 mm	500 Kg		•	•		•		•	•		
625 x 6000 mm	500 Kg		•	•		•		•	•		
1000 x 2000 mm	500 Kg		•	•	•	•		•	•		
1000 x 3000 mm	500 Kg		•	•	•	•		•	•		
1250 x 3000 mm	500 Kg		•	•	•	•		•	•		

- Upon request

Roofinox Plasma and Proton is only available with protection film.

Accessories

PRODUCT	DESCRIPTION	ART. NO	UNIT	QTY/PU	PRICE GROUP	PRICE/UNIT
FLM HFX stainless flux / soldering fluid 	For all grades of stainless steel (also terne coated stainless) Content: 1000 ml	15193	Pcs	6	5	12.52
ROEL cleansing oil for HFX stainless & tools 	Content: 1000 ml	12154	Pcs	6	5	26.27
	Content: 5000 ml	11372	Pcs	1	5	119.00
SR special cleaner for extraneous rust and other stains 	Content: 1 kg	12676	Pcs	6	5	22.87
BLINI tin-plated stainless steel rivets 	Content: 100 pcs	16251	Pack	50	5	11.09
	Content: 1000 pcs	13767	Pack	1	5	82.88
FG HFX stainless seam sealant with long-term effect 	Content: 300 ml	16254	Pcs	12	5	12.37
Seam applicator 	for FG seam sealant, makes application faster	16258	Pcs	1	5	50.31
Press 	cartridge press for FG seam sealant	16259	Pcs	1	5	22.89

PRODUCT	DESCRIPTION	ART. NO	UNIT	QTY/PU	PRICE GROUP	PRICE/UNIT
AS Spectra touch-up paint 	Content: 20 ml / Vulcano with applicator brush	16252	Pcs	1	5	10.02
	Content: 20 ml / Sedona with applicator brush	16253	Pcs	1	5	10.02
Flap wheel 30/80 mechanical pigment remover for Roofinox Spectra 	suitable for standard (cordless) screwdriver	16255	Pcs	1	5	12.33
PE chemical pigment stripper for Roofinox Spectra 	Content: 500 ml	16256	Pcs	6	5	19.00
Acoustic silencer film 	Width: 100 mm	16257	m	2	5	0.71
	Width: 250 mm	12819	m	2	5	2.41
	Width: 330 mm	14022	m	2	5	3.25
Hand tool for Matador 	sheet metal folding tool for precise foldover	16273	Pcs	1	5	54.70
Accu-snips suitable for Matador, tiles & panels 	5-part kit consisting of: Accu-snips, 2 accus (2.0 Ah + 4.0 Ah), 1 charger CLi (± 30 min.) & case	16274	Pcs	1	5	1093.47

General terms and conditions

For a current version of our general terms and conditions please contact us directly.

Notes

A large grid of small dots, intended for taking notes. The grid consists of 20 columns and 30 rows of dots, providing a structured space for handwritten text.

Notes

A large grid of small dots for taking notes, covering most of the page.

Roofinox.
Like no other.



Proton



Plus matte



Plus matte



Spectra Vulcano

ROOFINOX[®]
Like no other.

Roofinox GmbH
Industriestrasse 11
6832 Sulz

Tel.: +43 (0)5522 - 79040 - 0
www.roofinox.com
office@roofinox.com